

WINTER 2003/2004

[www.palesport.com](http://www.palesport.com)

**BOARDS**

Retkogelstrasse 6  
A-9431 St. Stefan i. Lav./Austria  
e-mail: [pale@palesport.at](mailto:pale@palesport.at)  
home-page: [www.palesport.com](http://www.palesport.com)

Phone: ++43(0)43 52 / 28 72-0  
Fax: ++43(0)43 52 / 28 72-185



**PALE**<sup>®</sup>  
**SKI & SPORT**  
Gesellschaft m.b.H. & Co. KG



**G4-3**  
**LOOP** 90 162CM

**AIRCELL-CAP**



**AIRCELL-WOOD-CAP**



**AIRCELL-WOOD-CAP**



[www.hungryboarder.com](http://www.hungryboarder.com)



**G4**  
**SURF**  
140 160CM

**G5** **MECHANICS** 135-163CM



**AIRCELL-WOOD-CAP**

**G6** **BARKING DOG** 141-166CM



**LIGHT WEIGHT**  
**TIP TO TAIL WOOD CORE**

# FREESTYLE LINE



GR	M.Nr	LENGTH mm	EFF. EDGE	TIP L	TAIL L	WIDTH FRONT	WAIST WIDTH	WIDTH REAR	SIDECUT RADIUS	CAM- BER	TIP H.	TAIL H.	BOARD		RIDERS		INS.	STANC. cm	STANC. OFFSET	PALE	
													WEIGHT kg	WEIGHT kg	model name	color					
1	620	900	670	115	115	210	188	210	5000	4	38	38	1,25	-25	8	25-33	0	LOOP 03 90	GREEN		
	621	1000	750	125	125	220	198	220	6500	5	38	38	1,42	-30	8	25-33	0	LOOP 03 100	RED		
	622	1100	850	125	125	230	204	230	7000	5	38	38	1,74	-30	12	27-43	0	LOOP 03 110	GREEN		
	623	1200	930	135	135	240	211	240	7400	5	40	40	1,97	-35	12	32-48	0	LOOP 03 120	RED		
	777	1250	980	135	135	250	219	250	7570	5	40	40	2,2	-35	12	33-49	0	LOOP 03 125	GREEN		
	693	1300	1030	135	135	260	226	260	7800	5	40	40	2,4	-40	12	34-50	0	LOOP 03 130	RED		
	692	1350	1070	140	140	270	233	270	7700	5,5	43	43	2,4	-40	16	33-57	0	LOOP 03 135	GREEN		
	694	1400	1100	150	150	275	237	275	7800	6	46	46	2,65	-45	16	37-61	0	LOOP 03 140	RED		
2	742	1450	1150	150	150	281	240	281	7900	7	46	46	2,81	-50	16	38-62	0	LOOP 03 145	GREEN		
	707	1500	1200	150	150	287	243	287	8000	8	46	46	2,91	-50	16	38-62	0	LOOP 03 150	RED		
	747	1550	1250	150	150	293	250	293	8775	9	46	46	3,22	-50	16	38-62	0	LOOP 03 155	GREEN		
	749	1580	1280	150	150	296	255	296	9350	10	46	46	3,3	55+	16	40-64	0	LOOP 03 158	RED		
	655	1620	1320	150	150	300	253	300	9000	10	46	46	3,53	60+	16	40-64	0	LOOP 03 162	GREEN		
	736	1500	1200	150	150	300	262	300	9300	10	46	46	3,15	35-55	16	38-62	0	LOOP 03 WIDE 150	BLUE		
3	737	1550	1250	150	150	310	265	310	8400	10	46	46	3,18	55-80	16	40-64	0	LOOP 03 WIDE 155	YELLOW		
	760	1580	1280	150	150	315	269	315	8740	10	46	46	3,49	55+	16	40-64	0	LOOP 03 WIDE 158	BLUE		
	738	1620	1320	150	150	320	270	320	8600	10	46	46	3,85	60+	16	40-64	0	LOOP 03 WIDE 162	YELLOW		

LOOP 03: SHAPE AND FLEX FOR FREESTYLE AND HALFPIPE RIDERS

LOOP 03 WIDE: SHAPE AND FLEX FOR FREESTYLE AND HALFPIPE RIDERS WITH BIGGER FOOT SIZES

4	778	1400	1050	175	175	270	232	270	7440	8	46	46	2,58	-45	16	37-61	15	SURF 03 140		
	779	1440	1090	175	175	276	235	276	7410	8	46	46	2,69	-50	16	38-62	15	SURF 03 144		
	780	1480	1130	175	175	280	239	280	7970	9	46	46	2,83	-50	16	38-62	15	SURF 03 148		
	781	1520	1170	175	175	286	244	286	8330	9	46	46	3,05	-50	16	38-62	20	SURF 03 152		
	782	1560	1210	175	175	289	247	289	8900	10	46	46	3,22	-50	16	40-64	25	SURF 03 156		
	783	1600	1245	178	178	292	249	292	9260	10	46	46	3,38	-55	16	40-64	25	SURF 03 160		

SURF03: SHAPE AND FLEX FOR FREESTYLE/HALFPIPE RIDERS WITH SET BACK BINDING POSITION

# FREERIDE DIRECTIONAL LINE



GR	M.Nr	LENGTH mm	EFF. EDGE	TIP L	TAIL L	WIDTH FRONT	WAIST WIDTH	WIDTH REAR	SIDECUT RADIUS	CAM- BER	TIP H.	TAIL H.	BOARD		RIDERS		INS.	STANC. cm	STANC. OFFSET	PALE	
													WEIGHT kg	WEIGHT kg	model name						
5	735	1350	1060	170	120	270	228	270	6440	6	44	31	2,34	-40	16	33-57	15	MECHANICS 135			
	727	1410	1120	170	120	272	230	269	7500	7	44	31	2,6	-45	16	34-58	15	MECHANICS 141			
	728	1460	1150	180	130	275	233	273	7850	7	47	33	2,73	-50	16	36-60	20	MECHANICS 146			
	729	1510	1190	185	135	282	239	279	8300	8	50	37	2,9	-60	16	38-62	20	MECHANICS 151			
	730	1520	1200	185	135	296	250	293	7800	8	50	37	3,03	-40	16	38-62	20	MECHANICS 152			
	731	1570	1230	195	145	298	252	295	8200	9	53	40	3,29	-55	16	40-64	25	MECHANICS 157			
	732	1630	1270	205	155	300	254	298	8600	9	55	42	3,51	-60	16	40-64	30	MECHANICS 163			

MECHANICS: FREERIDE DIRECTIONAL PINTAIL SHAPE FOR ALLROUND USE. 135-151CM NARROW LINE; 152-163CM WIDE LINE

6	710	1410	1120	170	120	272	230	269	7500	7	44	31	2,4	-45	16	34-58	15	BARKING DOG 141		
	711	1460	1150	180	130	275	233	273	7850	7	47	33	2,5	-35	16	36-60	20	BARKING DOG 146		
	712	1510	1190	185	135	282	239	279	8300	8	50	37	2,7	-40	16	38-62	20	BARKING DOG 151		
	752	1560	1208	202	150	283	239	280	8275	8	50	37	2,68	-45	16	39-63	18	BARKING DOG 156		
	713	1520	1200	185	135	296	250	293	7800	8	50	37	2,69	-40	16	38-62	20	BARKING DOG 152		
	714	1570	1230	195	145	298	252	295	8200	9	53	40	2,91	-50	16	40-64	25	BARKING DOG 157		
	715	1630	1270	205	155	300	254	298	8600	9	51	40	3,12	-60+	16	40-64	30	BARKING DOG 163		
	734	1680	1320	205	155	300	254	298	9360	10	55	42	3,25	-70+	16	42-66	30	BARKING DOG 168		

BARKING DOG: FREERIDE DIRECTIONAL PINTAIL SHAPE FOR ALLROUND USE. 141-156CM NARROW LINE; 152-168 WIDE LINE

\* stonedrilled finish = +5% weight \* texture top sheet = +5% weight



**G6** *ROARING BEAR* 144-163CM

AIRCELL-WOOD-CAP



**SWING**  
138-167CM



WOODCORE



AIRCELL-CAP



AIRCELL-WOOD-CAP



**LIGHT WEIGHT**  
TIP TO TAIL WOOD  
SIDEWALL



**G14**  
*DYNAMIDE*  
105-145CM



**SUNKEN  
WORLD**  
141-168CM



**MIRROR-STAMP**



**LIGHT WEIGHT**  
TIP TO TAIL WOOD CORE

GR. 8 9 14 15 13

# FREERIDE DIRECTIONAL LINE



GR.	M.Nr.	LENGTH mm	EFF. EDGE	TIP L.	TAIL L.	WIDTH FRONT	WAIST WIDTH	WIDTH REAR	SIDECUT RADIUS	CAM- BER	TIP H.	TAIL H.	BOARD		INS.	STANC. cm	STANC. OFFSET	PALE model name
													WEIGHT kg	RIDERS kg				
8	770	1440	1140	170	130	280	238	280	7500	7	45	42	2,71	30-50	16	36-60	15	ROARING BEAR 144
	771	1480	1175	175	130	283	242	283	8150	7	50	45	2,84	30-50	16	40-64	15	ROARING BEAR 148
	772	1530	1190	185	155	287	245	287	8160	8	53	45	3,06	40-60	16	42-66	15	ROARING BEAR 153
	773	1560	1200	200	160	306	260	306	7650	9	58	50	3,28	60+	16	43-67	20	ROARING BEAR 156
	774	1590	1215	210	165	311	268	311	8300	10	60	50	3,5	55+	16	43-67	30	ROARING BEAR 159
775	1630	1270	200	160	315	270	315	8800	10	61	51	3,56	65+	16	43-67	35	ROARING BEAR 163	

ROARING BEAR: FREERIDE DIRECTIONAL FOR FREESTYLE AND HALFPIPE RIDERS TOO: 144-153 NARROW LINE; 156-163 WIDE LINE

9	784	1380	1040	185	155	274	234	274	6580	6	48	38	2,86	-40	16	37-61	15	SWING 03 138	RED
	785	1440	1100	185	155	281	237	281	6700	7	48	38	2,82,6	30-50	16	38-62	15	SWING 03 144	BLUE
	790	1480	1140	185	155	284	240	284	7070	8	48	38	3/2,8	30-50	16	38-62	15	SWING 03 148	RED
	786	1510	1150	195	165	286	242	286	7500	8	55	40	3,13	30-50	16	39-63	20	SWING 03 151	BLUE
	787	1540	1180	195	165	290	245	290	7620	8	55	40	3,13	40-60	16	39-63	20	SWING 03 154	RED
	793	1570	1210	195	165	292	250	292	8725	9	55	40	3,5	50-75	16	40-64	25	SWING 03 157	BLUE
	794	1630	1270	195	165	295	253	295	9600	10	55	40	3,8	60+	16	40-64	25	SWING 03 163	RED
	813	1570	1210	195	165	307	265	307	8225	9	55	40	3,52	50-75	16	40-64	25	SWING 03 WIDE 157	YELLOW
	814	1630	1270	195	165	310	267	310	9200	10	55	40	3,77	60+	16	40-64	25	SWING 03 WIDE 163	YELLOW
	815	1670	1305	200	165	312	268	312	9560	12	55	40	3,77	70+	16	40-64	25	SWING 03 WIDE 167	YELLOW

SWING 03: FREERIDE DIRECTIONAL SHAPE FOR ALLROUND USE

SWING 03 WIDE: FREERIDE DIRECTIONAL SHAPE FOR ALLROUND USE-RIDERS WITH BIG FOOT SIZES

14	842	1050	782	158	110	230	200	228	5270	4	40	35	1,5	-30	12	26-42	5	DYNAMIDE 105
	816	1150	882	158	110	235	205	233	6700	4	40	35	1,8	-35	12	27-43	5	
	861	1150	882	158	110	250	222	248	6800	4	40	35	1,89	-35	12	27-43	5	DYNAMIDE 115
	817	1250	960	170	120	250	215	248	6750	5	42	38	2,03	-35	12	32-48	6	
	862	1250	960	170	120	263	229	261	6850	5	42	38	2,2	-35	12	32-48	6	DYNAMIDE 125
	818	1320	1015	175	130	270	232	268	6950	6	45	40	2,35	-40	12	34-50	8	DYNAMIDE 132
	819	1380	1055	185	140	279	238	277	7000	7	50	44	2,52	-45	12	36-52	10	DYNAMIDE 138
	844	1420	1087	190	143	290	248	290	7200	7,2	54	47	2,65	30-50	12	36-52	10	DYNAMIDE 142
	843	1450	1125	185	140	290	249	288	7980	8	50	44	2,75	30-50	16	36-60	15	DYNAMIDE 145

DYNAMIDE: FREERIDE DIRECTIONAL PINTAIL SHAPE FOR JUNIORS AND GIRLS

15	823	1410	1120	170	120	272	230	269	7500	7	44	31	2,5	-45	16	34-58	15	SUNKEN WORLD 141	YELLOW
	824	1460	1150	180	130	275	233	273	7850	7	47	33	2,6	30-50	16	36-60	20	SUNKEN WORLD 146	BLUE
	825	1510	1190	185	135	282	239	279	8300	8	50	37	2,81	40-60	16	38-62	20	SUNKEN WORLD 151	YELLOW
	826	1520	1200	185	135	296	250	293	7800	8	50	37	2,94	40-60	16	38-62	20	SUNKEN WORLD 152	BLUE
	827	1570	1230	195	145	298	252	295	8200	9	53	40	3,12	50-75	16	40-64	25	SUNKEN WORLD 157	YELLOW
	828	1630	1270	205	155	300	254	298	8600	9	51	40	3,26	60+	16	40-64	30	SUNKEN WORLD 163	BLUE
	829	1680	1320	205	155	300	254	298	9380	10	55	42	3,42	70+	16	42-66	30	SUNKEN WORLD 168	YELLOW

SUNKEN WORLD: FREERIDE DIRECTIONAL PINTAIL SHAPE FOR ALLROUND USE. 141-151CM NARROW LINE ; 152-168CM WIDE LINE

TRIAx FIBER

WINDOW TO WOODCORE

G13  
TOXIC  
157-171CM



STRUCTURAL TOPSHEET

SINTERED BASE



ALPIN LINE

GR.	M.Nr.	LENGTH mm	EFF. EDGE	TIP L.	TAIL L.	WIDTH FRONT	WAIST WIDTH	WIDTH REAR	SIDECUT RADIUS	CAM- BER	TIP H.	TAIL H.	BOARD		INS.	STANC. cm	STANC. OFFSET	PALE model name
													WEIGHT kg	RIDERS kg				
13	761	1572	1387	120	65	242	186	242	8000	11	35	8	2,75	50-75	12	35-51	10	TOXIC 157
	762	1634	1446	125	63	239	190	239	9550	11	35	8	2,95	60+	12	35-51	10	TOXIC 163
	763	1708	1519	129	60	238	180	238	11185	16	33	6	3,15	65+	12	35-51	10	TOXIC 171

TOXIC: FLEX AND SHAPE FOR RACECARVE RIDERS

\*stanoironded finish = +5% weight \* texture top sheet = +5% weight

**SIDEWALL - PRINT**



**DI-CUT BASE**

**DROP STICKER**

**TIP & TAIL PROTECTOR**

**G16**

**VOLTAGE**

151-166CM

**TEXTURE**



**STONEGRINDED SINTERED**



**3D DEEP**

**G17**

**CRYSTAL**

144-163CM



**G18**

**CRYSTAL**

139-154CM



**HUNGRY BOARDER**  
www.hungryboarder.com

**LIGHT WEIGHT**  
TIP TO TAIL WOOD  
SIDEWALL

**G19**

**FUSION**

139-169CM

**LIGHT WEIGHT**  
TIP TO TAIL WOOD CORE



**AIRCELL-WOOD-**  
**SIDEWALL**



**AIRCELL-CAP**

**G21**

**CITY**

99-144CM

**AIRCELL-WOOD-CAP**



**LIGHT WEIGHT**  
TIP TO TAIL WOOD  
SIDEWALL

# PALE® SKI & SPORT

Gesellschaft m.b.H. & Co.KG

Phone: ++43(0)43 52 / 28 72-0  
Fax: ++43(0)43 52 / 28 72-185

Rotkogelstrasse 6  
A-9431 St. Stefan i. Lav./Austria  
e-mail: pale@palesport.at  
home-page: www.palesport.com



**GPA**  
**RANGER 154-168CM**

## FREERIDE DIRECTIONAL LINE



GR	M.N.	LENGTH mm	EFF. EDGE	TIP L	TAIL L	WIDTH FRONT	WAIST WIDTH	WIDTH REAR	SIDE-CUT RADIUS	CAM- BER	TIP H.	TAIL H.	BOARD		RIDERS		PALE model name	
													WEIGHT kg	INS.	STANC. cm	STANC. OFFSET		WEIGHT kg
16	831	1510	1170	185	155	290	242	286	8/7.8/7.3/7m	8	53	45	2.74	40-60	16	38-62	15	VOLTAGE 151
	832	1560	1220	185	155	292	245	288	8/7.8/7.3/7m	8	53	45	3.1	45-65	16	40-64	20	VOLTAGE 156
	833	1610	1260	190	160	295	248	290	9/8.8/8.3/8m	10	55	47	3.2	55+	16	40-64	25	VOLTAGE 161
	834	1660	1310	190	160	297	248	290	9/8.8/8.3/8m	10	55	47	3.26	70+	16	42-66	30	VOLTAGE 166

VOLTAGE: FREERIDE DIRECTIONAL SHAPE FOR ADVANCED RIDERS WITH PROGRESSIVE SIDE-CUT

17	851	1440	1102	174	164	282	242	282	8100	6	53	53	2.4	30-50	16	38-60	15	CRYSTAL 144	BLUE
	852	1490	1141	179	170	287	248	287	8900	7	54	54	2.67	30-50	16	38-62	15	CRYSTAL 149	BLUE
	853	1510	1161	179	170	289	248	289	8900	7	56	56	2.65	40-60	16	38-62	15	CRYSTAL 151	BLUE
	854	1540	1190	179	171	292	250	292	9000	8	58	58	2.76	40-60	16	38-62	20	CRYSTAL 154	BLUE
	855	1590	1230	184	176	304	260	304	8200	8	61	61	3.07	55+	16	38-62	20	CRYSTAL 159	BLUE
	856	1630	1280	194	186	315	270	315	8500	9	64	64	3.2	60+	16	40-64	25	CRYSTAL 163	BLUE
18	857	1390	1010	200	180	269	230	269	8000/8500	6	52	42	2.24	45	16	35-59	25	CRYSTAL 139	VIOLETT
	858	1440	1060	200	180	272	230	272	8000/8500	6	53	44	2.3	30-50	16	35-59	25	CRYSTAL 144	VIOLETT
	859	1490	1110	200	180	276	235	276	8500/7500	7	53	44	2.5	30-50	16	36-60	25	CRYSTAL 149	VIOLETT
	860	1540	1160	200	180	282	238	282	8500/7500	8	54	45	2.58	40-60	16	37-61	30	CRYSTAL 154	VIOLETT

CRYSTAL BLUE: FREERIDE-FREESTYLE DIRECTIONAL MEN'S LINE

CRYSTAL VIOLETT: FREERIDE-FREESTYLE DIRECTIONAL WOMEN'S LINE

19	864	1390	1015	205	170	276	238	276	6950	6	56	53	2.66	30-50	16	33.5-57.5	25	FUSION 139	RED
	865	1455	1070	210	175	282	240	282	7050	6	58	55	2.93	30-50	16	33.5-57.5	25	FUSION 146	BLUE
	866	1520	1130	210	180	291	246	291	7250	7	58	56	3.18	30-50	16	33.5-57.5	25	FUSION 152	RED
	867	1560	1170	210	180	296	250	296	7580	8	58	56	3.4	45-65	16	38.5-62.5	25	FUSION 156	BLUE
	868	1600	1205	215	180	301	254	301	7850	8	60	56	3.6	55+	16	38.5-62.5	25	FUSION 160	RED
	869	1640	1240	215	185	301	254	301	8350	9	60	57	3.8	60+	16	38.5-62.5	25	FUSION 164	BLUE
870	1685	1280	215	190	305	260	305	9350	10	60	58		70+	16	38.5-62.5	25	FUSION 169	RED	

FUSION: FLEX AND SHAPE FOR ADVANCED FREERIDERS

22	845	990	650	180	160	218	195	218	4800	2.4	49	39	1.4	-30	8	28-56	15	CITY 99	RED
	846	1100	750	185	165	238	210	238	5200	3.2	52	41	1.7	-30	8	32-40	15	CITY 110	BLUE
	847	1210	850	190	170	253	222	253	6000	4.1	55	44	1.9	-35	12	35-43	15	CITY 121	RED
	848	1305	945	190	170	272	235	272	6200	5.1	55	44	2.2	-40	12	38-46	25	CITY 131	BLUE
	849	1380	1010	195	175	280	240	280	6500	6.4	58	47	2.5	-45	12	35-51	25	CITY 138	RED
	850	1440	1060	200	180	286	243	286	6800	9	60	49	2.7	30-50	12	36-52	25	CITY 144	BLUE

CITY: FLEX AND SHAPE FOR JUNIOR AND GIRL FREERIDERS

23	871	1540	1180	190	170	296	255	296	8.0/7.1m	11	56	47		55-75	16	40-64	20	RANGER 154
	872	1580	1220	190	170	301	257	301	8.0/7.1m	12	56	47		55-85	16	40-64	20	RANGER 158
	873	1620	1250	195	175	305	260	305	9.2/8.2m	13	58	50		65+	16	42-66	25	RANGER 162
	874	1660	1290	195	175	308	262	308	9.3/8.3m	14	58	50		65+	16	42-66	25	RANGER 166

RANGER 03: NEW FREERIDE DIRECTIONAL WIDE SHAPE FOR ADVANCED RIDERS WITH PROGRESSIVE SIDE-CUT.

\* stonegrinded finish = +5% weight \* texture top sheet = +5% weight

## FREESTYLE LINE



G 1-3 LOOP



G 4 SURF



G 5 MECHANICS



G 6 BARKING DOG

## FREERIDE DIRECTIONAL LINE



G 8 ROARING BEAR



G 9 SWING



G 14 DYNAMIDE



G 22 CITY



G 15 SUNKEN WORLD



G 16 VOLTAGE



G 17 CRYSTAL



G 18 CRYSTAL

## ALPIN LINE



G 13 TOXIC



G 19 FUSION



G 23 RANGER



AIRCELL-CAP



AIRCELL-WOOD-CAP



WOODCORE



AIRCELL-WOOD SIDEWALL



LIGHT WEIGHT TIP TO TAIL WOOD CORE



LIGHT WEIGHT TIP TO TAIL WOOD SIDEWALL

Phone: ++43(0)43 52 / 28 72-0

Fax: ++43(0)43 52 / 28 72-185

Rotkogelstrasse 6  
A-9431 St. Stefan i. Lav./Austria  
e-mail: pale@palesport.at  
home-page: www.palesport.com

**PALE®**  
**SKI & SPORT**  
Gesellschaft m.b.H. & Co.KG

