

SWISS SNOWBOARD CONCEPT

DEALER HANDBOOK 04

 HUNGRY  
BOARDER  
[www.hungryboarder.com](http://www.hungryboarder.com)



**NIDECKER**  
ADVANCED • SNOWBOARDING TECHNOLOGY

# NIDECKER

## TEAM RIDERS

04



Tommy Czeschin - Darius Heristchian - Mikko Rajakangas - Berti Denervaud - Daniela Roth - Lesley McKenna  
Thomas Brunner - Travis Robison - Emilien Badoux - Remi Lamazouere - Remy Mercier - Gerard Freixes  
Peter Bencheller - Chad Tarbell - Ryan Tarbell - Marjorie Rey - Manu Duboc - Caroline Graess - Hugo Danis  
Corine Mollu - Urs Eselin - Raymond Brechbuhl - Jürg Ebersbach - Philip Kunz - Dany Kisler - Sven Vuigner  
Espen Vangen - Inars Birmanis - Renars Birmanis - Marcis Abele - Girts Laube - Zigmars Skolins - James Carr  
André Sommer - Roland Haldi - Nicolien Sauerbreij - Bart Geerts - Bart Van Haeren - JP Challinor - Yann Lefaucheur  
Toshihisa Yamagata - Mizuho Tobe - Kazumi Miyoshi - Noriko Fujimoto - Daisuke Nakagawa - Tsyoshi Horinouchi  
Ayaka Kikuchi - Futoshi Fujita - Hideki Sato - Makoto Saito - Osamu Seikiyoshi - Nobuhiro Takagi - Yuka Wakatuki  
Rie Fujiwara - Takuya Aoki



# SWISS SNOWBOARD CONCEPT

## COMMITMENT TO THE RIDE

### E

This new collection is again dedicated to our commitment to the ride. Exclusive new board shapes, binding and boot technology...and some still think that is no more evolution.

This year is really oriented to the Universal/Freeide program; adapted for all types of riders... from the first weaver to the future rookies, who have just one thing in mind...everyday riding.

We invite you to discover our values and commitment to the ride that has given us our reputation since 1984.



### D

Eine neue Kollektion die erneut unser Engagement für die Weiterentwicklung unserer Leidenschaft unter Beweis stellt. Neue Shapes, neue Exklusivität auf Bindungen und Boots...

Und trotzdem gibt es noch weiche, die denken es gibt nichts neues im Snowboard...

Es war ein Jahr, das geprägt ist von der Einführung des Universal/Freeide Programm, das noch mehr auf die Bedürfnisse eines jeden eingeht... für Rider mit langjähriger Erfahrung bis zum zukünftigen Champion... die alle nur ein Ziel haben – das Boarden zu genießen.

Wir laden Euch (or „Sie“, si tu veux utiliser la forme de vousvoyer) ein, unsere Werte und unsere Ideen zum Thema Snowboard zu entdecken. Alles, auf was sich unsere Image seit 1984 aufbaut.

[www.hungryboarder.com](http://www.hungryboarder.com)



### F

Cette nouvelle collection signe à nouveau notre engagement pour le développement de notre passion. Nouveaux shapes, nouvelles exclusivités sur nos fixations et nos boots....

Dire que certains pensent que le snowboard n'évolue plus...

Une année placée sur l'introduction d'un programme Universal/Freeide encore plus adapté à chaque type de pratiquant... du rider de longue expérience au futur champion... ayant comme seule idée en tête... se faire plaisir avant tout.

Nous vous invitons à découvrir nos valeurs et notre conception du snowboard qui ont fait notre réputation depuis 1984.



A LEGACY OF QUALITY



INNOVATION AND TRADITION



COMFORT AND TECHNOLOGY



SPIRIT OF THE ALPS

### INDEX

02-07 INTRO

08-31 BOARD


32-37 BINDING

38-43 BOOTS

44 BAG

45-49 WEAR

COMMITMENT TO THE RIDE



SWISS SNOWBOARD CONCEPT

A LEGACY OF QUALITY



SWISS SNOWBOARD CONCEPT

INNOVATION AND TRADITION

SWISS  
SNOWBOARD  
CONCEPT


www.swiss-snowboard.com





COMMITMENT TO THE RIDE

SWISS SNOWBOARD CONCEPT





SWISS SNOWBOARD CONCEPT

HUNGRY  
BOARDER

[www.hungryboarder.com](http://www.hungryboarder.com)

SPRIT OF THE ALPS



**E** We are about snowboarding. Being specialists allows us to bring a well designed board for every rider.

**I** Egal welcher Stil und welche Stufe, wir sind darauf eingeschworen: Du wirst in dieser neuen Kollektion ein eignes für Dich bestimmes Bieff finden. « Snowboarding forever. »

**F** Nous nous engageons pour vous, quels que soient votre style, votre niveau, une board vous est dédiée dans cette nouvelle collection. « Snowboarding forever. »

FS

Freestyle

UN/FR

Universal  
Freeride

SP

Speed

BM

Big Mountain

SSSS

EEEE

**N Concept**  
ISR Graphite Plus  
Supreme Wood  
Multi Axial Composi



Project FS

Premium  
ISR Graphite plus  
Supreme Wood  
Multi Axial Composi



Icon

SSS

EEE

Premium  
SR 1800  
Premium Wood  
Multi Axial



Princess

Smoke



SS

EE

Sandwich  
SR 900  
Premium Wood  
Multi Axial



Core

Classic  
SR 900  
Classic Wood  
Dual Axial



Mission

S


E

Classic  
SR 900  
Classic Wood  
Dual Axial



Matrix

**N Concept**  
ISR Graphite Plus  
Supreme Wood  
Multi Axial Composi




Megalight

Premium  
ISR Graphite plus  
Supreme Wood  
Multi Axial Composi



Platinum

Premium  
ISR Graphite plus  
Supreme Wood  
Multi Axial Composi



Blade

Classic Plus  
SR 1800  
Premium Wood  
Multi Axial



Picto

Angel

Classic  
SR 900  
Classic Wood  
Dual Axial



Axis

Classic  
SR 900  
PolyWood  
Dual Axial



Chill

Grom

**N Concept**  
ISR Graphite Plus  
Supreme Wood  
Multi Axial Composi



Project TM/Proto

Sandwich  
ISR Graphite Plus  
Supreme Wood  
Multi Axial Composi




Custom GS/SL


**N Concept**  
ISR Graphite Plus  
Supreme Wood  
Multi Axial Composi




Legend

## General Infos


 Only for Men


 Only for Women

 For Women and Men

 For Kids

 For small feet

 For medium/large feet

 For XL feet



**N Concept**

Taking the resourceful idea of the Premium PCS to the next step the

N Concept is the ultimate feeling with the independent Torsion Flex. With the addition of carbon, Kevlar® and a host of visionary composite materials, it's a pure display of the future.

**Premium:**

The evolution of our cap system the Premium integrates the steady features of sandwich construction into the board central region, adding substance to the classic core. This delivers plenty of pop, grip and lively turn initiation.

**Classic Plus:**

The Plus brings the classic construction to a higher level with the inclusion of wider laminated strips. The wider strips improve the integrity of the core insuring better pop, more natural flex and longevity.

**Classic:**

The Classic cap is a universal wrap design with laminated fibers overlapping the board perimeter offering strength and durability.

**Multi Axial Composite:**

The characteristic fiberglass weave is enhanced with a layer of carbon to increase overall vigor, and a layer of Kevlar® to increase dampening

**Multi Axial:**

A lighter, thicker weave than the Dual Axial, the multi reinforces the streamlined profiles found in lighter, higher-grade wood cores and reduces the weight drastically.

**Dual Axial:**

The classic fiberglass weave delivers stability and durability.

**Supreme Wood:**

Only the finest grains are used in the Supreme. We use a novel ultrasound process on raw cut timber wood to find lengthy, flawless pieces. It's the direct result of Nidecker's history of woodworking mastery and is the most energetic, responsive care on the market.

**Premium Wood:**

Vertical, full length 20mm laminates are the basis of the Premium. Ultra light yet incredibly responsive, it offers pop, longevity and a confirmation of quality. Inset reinforcements provide extra strength in critical flex zones.

**Classic Wood:**

The standard in wood cores, offering time-honored, proven performance. With a standardized flex pattern and hardy assembly, it's the backbone of a durable, yet-versatile board.

**Polywood:**

Fearlessly designed for recreational riders who desire a forgiving flex with plenty of versatility and durability.

**ISR Graphite Plus:**

The smoothest, liveliest base available. The highest grade graphite base, with the best wax absorption. Complimented with a Nidecker stone grind finish that equals pure speed and velocity.

**SR 1800:**

High grade base. Complete with an extraordinary polish, the SR 1800 is an elevated approach to glide and velocity.

**SR 900:**

A durable base for any conditions. Time-honored performance. Exceptionally simple to preserve and maintain.

www.nideckerboarder.com



BOARD F5

PROJECT F5


**E** Next generation in performance freestyle riding. The choice of Tommy « the machine » Czeschin.

**D** Mit dem exklusiven 3D Shape verbindet dieses futuristische F5 Breit Reaktivität, Komfort und Ausgewogenheit. Tommy « The Machine » Czeschin's choice.

**F** Avec son shape 3D exclusif, cette board F5 de construction futuriste allie réactivité confort et équilibre. Le Choix de Tommy Czeschin «The Machine».

### Models Specifications

Model	157	159	162	163xl
Nose Length	200	205	220	220
Contact Length	1180	1200	1220	1220
Tail Length	200	205	210	210
Radius	8100	8300	8300	8300
Nose Width	291	294	298	310
Waist	246	248	251	263
Tail Width	291	294	298	310
Selback	30	30	30	30
Rider's Weight	60-75	65-80	70-85	75+



Tommy Czeschin



Top



Base

### General Infos



Level of Ride



Advanced to Expert

### Range Positioning

FS UN SP BM



### Technology Infos

Construction  
Laminates  
Wood Core  
Base

N Concept  
Multi Axial Composite  
Supreme Wood  
ISR Graphite Plus



### Details

- Power decks
- Free-flex
- Tip and Tail Carbon Stringers
- Kevlar®
- Stone Grind Team Finish
- Insert 40x20 mm
- Edge Armor

**Technology Infos**

Construction  
Laminales  
Wood Core  
Base



Premium Concept  
Multi Axial Composite  
Supreme Wood  
ISR Graphite Plus

**Range Positioning**

FS UN SP BM

**Level Infos**

Level of Ride



Advanced to Expert

**Details****Models Specifications**

Model	154	157	159	163
Nose Length	210	210	210	215
Contact Length	1140	1180	1200	1220
Tail Length	195	195	195	195
Radius	7450	7500	7550	7600
Nose Width	292	296	300	304
Waist	246	248	251	253
Tail Width	292	296	300	304
Setback	30	30	30	30
Rider's Weight	55-70	60-75	65-80	70+

Darius Heristchian



Top



Base

**E** Style, balance and pop. This is Darius' choice. Technical freestyle riding for the entire mountain.

**D** Finesse, Bewegung und Pop, so resümiert sich der Stil von Darius H., und das Bells ist ihm gewidmet. Für Freestylers auf allen Geländen.

**F** Finesse, mouvement et pop, c'est en résumé le style de Darius H. cette board lui est dédiée. Pour les freestylers tous terrains.

BOARD FS *Style* *Mountain* **ICON**



**BOARD FS**

100% Kevlar

**PRINCESS**

**E** Designed for women, by women to meet the needs of today's aggressive female rider.

**D** Endlich ein Brett für Riderinnen, die im Freestyle rein alles kiffen wollen.

**F** Enfin, une board pour les rideuses qui veulent tout lui en Freestyle.




Top



Base

**Models Specifications**

Model	152	156
Nose Length	205	205
Contact Length	1140	1180
Tail Length	185	185
Radius	7200	7400
Nose Width	284	288
Weist	237	239
Tail Width	284	288
Setback	30	30
Rider's Weight	40-50	50-70



Daniela Roth

**General Infos**



**Level of Ride**



Advanced to Expert

**Range Positioning**

FS UN SP 8M



**Technology Infos**

Construction  
Laminates  
Wood Core  
Base

Premium Concept  
Multi Axial Composite  
Supreme Wood  
SR 1800



**Details**

- Tip and Tail Carbon Stringers
- Kevlar®
- Full Length Wood Core
- Stone Grind Team Finish
- Insert 40X20 mm
- Edge Armor

## Technology Infos

Construction  
Laminates  
Wood Core  
Base

Premium Concept  
Multi Axial  
Premium Wood  
SR 1800



## Range Positioning

FS UN SP BM



## Level of Ride



Intermediate to Expert



## Details

## Models Specifications

Model	154	158xl	158	162xl	162	165xl	166
Nose Length	210	215	215	215	215	215	215
Contact Length	1140	1180	1180	1220	1220	1260	1260
Tail Length	195	195	200	195	195	195	195
Radius	7450	7600	7500	7650	7600	7700	7650
Nose Width	292	309	296	315	304	321	310
Waist	246	261	248	264	253	267	255
Tail Width	292	309	296	315	304	321	310
Setback	30	30	30	30	30	30	30
Rider's Weight	50-70	60-75	60-75	70-85	70-85	75+	75+



Smoke XL



Base

HUGO BOSS  
www.hugoboss.com



Top



Base



Mikko Rajakangas



**E** With a slightly softer flex. From 90 ft kickers to 24 stair hand rails. The choice of freestyle warrior's Mikko Rajakangas and Travis Robison.

**D** Das typische, polyvalente Freestyle Brett, gesund mit Supepop. Vom Krieger Mikko Rajakangas gebilligt.

**F** La board de freestyle polyvalente par excellence, saine avec un super pop. Approved by the warrior Mikko Rajakangas.

BOARD FS *Style* *Maneuver* SMOKE



**E** The core re-introduces a true twin tip shape and flex to the line combined with a full sandwich construction. 100% freestyle.

**D** Für Poik und Jib. Neuer Twinshape, neuer Flex. Das moderne Freestyle Brett.

**F** Pour le Poik et le Jib. Nouveau shape twin, nouveau flex. La board du freestyle moderne.




Top



Base

**Models Specifications**

Model	148	154	159	159xl	164	164xl
Nose Length	205	210	210	210	210	215
Contact Length	1100	1140	1180	1180	1220	1220
Tail Length	205	210	210	210	210	215
Radius	7200	7400	7500	7800	7700	8500
Nose Width	288	293	300	310	305	311
Weist	244	247	251	263	254	265
Tail Width	288	293	300	310	305	311
Setback	20	20	20	20	20	20
Rider's Weight	45-60	55-70	60-75	60-75	70+	75+



Remi Mercier

**Details**

**General Infos**



**Level of Ride**



Intermediale to Advanced


**Range Positioning**

FS UN SP BM



**Technology Infos**

Construction Sandwich  
Laminates Multi Axial  
Wood Core Premium Wood  
Base SR 1800



- Full Length Wood Core
- Team Finish
- Insert 40X40 mm

### Construction Infos

Construction Classic Plus  
Laminates Multi Axial  
Wood Core Premium Wood  
Base SR 1800



### Positioning

FS UN SP BM



### Level of Ride Infos



Beginner to Advanced



## Details

### Models Specifications

Model	148	152	156	158xl	160	163xl	165	166xl
Nose Length	210	210	215	215	215	215	215	215
Contact Length	1100	1140	1180	1180	1220	1220	1260	1260
Tail Length	180	180	185	185	185	185	195	195
Radius	6800	7200	7400	7400	7700	7700	7700	7900
Nose Width	283	288	297	314	306	316	307	317
Waist	237	242	249	266	256	266	254	265
Tail Width	283	288	297	314	306	316	307	317
Setback	30	30	30	30	30	30	30	30
Rider's Weight	50-65	55-70	60-75	60-75	65-80	70-85	75+	75+

[www.hungryboarder.com](http://www.hungryboarder.com)



Thomas Brunner



Top



Base

**E** Versatile and reliable, the Mission will help you take your riding to the next level.

**D** Unser ganzes Know-how zu Euren Diensten, damit Ihr im Freestyle weitere Fortschritte macht. Ein Verkaufsschlager.

**F** Tout notre savoir-faire à votre service pour progresser en freestyle. Un Best-seller.

**BOARD FS** *Style Mission* **MISSION**

**E** The perfect board for your first 3's and rails in the park.

**D** Eure ersten Tricks im Freestyle zu einem erschwinglichen Preis.

**F** Vos premiers tricks en freestyle à un budget raisonnable.



Top



Base

### Models Specifications

Model	124	133	141	146	151	156	158xl	161	165xl
Nose Length	170	175	185	185	195	195	195	195	195
Contact Length	960	1015	1040	1100	1150	1180	1210	1210	1270
Tail Length	120	130	155	155	165	165	165	165	165
Radius	6750	6950	6580	6700	7500	7620	8225	8275	9200
Nose Width	250	270	274	281	286	290	307	292	310
Waist	215	232	234	237	242	245	265	250	267
Tail Width	248	268	274	281	286	290	307	297	310
Setback	20	20	30	30	30	30	30	30	30
Rider's Weight	30-40	35-45	40-55	50-60	55-65	60-70	65-80	70-90	70-+



### Details

### General Infos



### Level of Ride



Beginner to Intermediate

### Range Positioning

FS UN SP BM



### Technology Infos

Construction  
Laminates  
Wood Core  
Base

Classic  
Dual Axial  
Classic  
ER 900



- Factory Finish
- Insert 40X40

**Technology Infos**

Construction  
Laminates  
Wood Core  
Base



N Concept  
Multi Axial Composite  
Supreme Wood  
ISR Graphite Plus

**Positioning**

F5 UN SP BM

**Level of Ride Infos**

Level of Ride



Advanced to Expert



- Power decks
- Free-flex
- Tip and Tail Carbon Stringers
- Kevlar®
- Stone Grind Team Finish
- Insert 40X20 mm
- Edge Armor

**Details****The Technology**[www.hungryboarder.com](http://www.hungryboarder.com)**Models Specifications**

Model	159	164	168	174
Nose Length	260	260	260	260
Contact Length	1150	1200	1240	1300
Tail Length	180	180	180	180
Radius	6500	6900	7100	7300
Nose Width	311	316	320	327
Waist	247	251	253	255
Tail Width	289	294	297	303
Setback	30	30	30	30
Rider's Weight	50-60	60-75	65-85	75+*



Top



Base

**E** The ultimate, all-mountain riding board. Accept no substitutes. You know you want it!

**D** Die neue Version, mit neuem Shape und fortschrittlicher Technologie, verbindet Präzision mit Komfort auf allen Geländen. Ein legendäres Brett.

**F** Avec son nouveau shape et sa technologie évoluée, cette nouvelle version allie précision et confort sur tous les terrains. Une board de légende.

**BOARD UN** Stone Mountain **MEGALIGHT**

**E** Speed, power. The board that places higher than gold. The choice of Bertl Denevaud.

**D** Hat gesoffene Rider auf der Suche nach purem Vergnügen, hier zu erschwinglichen Preisen. Euer Brett für den täglichen Gebrauch! Die Wahl von Bertl Denevaud.

**F** Rider d'expérience, à la recherche du pur plaisir accessible, voici votre planche de tous les jours. C'est le choix de Bertl Denevaud.



Top



Base

**Models Specifications**

Model	153	158	163	168
Nose Length	210	215	220	225
Contact Length	1140	1180	1220	1260
Tail Length	180	185	190	195
Radius	8300	8600	8800	9000
Nose Width	292	299	301	302
Waist	242	248	243	258
Tail Width	292	299	301	302
Setback	25	30	30	30
Rider's Weight	50-65	60-70	65-85	75-+




Bertl Denevaud



**Details**

- Tip and Tail Carbon Stringers
- Kevlar©
- Full Length Wood Core
- Stone Grind Team Finish
- Insert 40X20 mm
- Edge Armor

**General Infos**



**Level of Ride**



Intermediate to Expert


**Range Positioning**

FS	UN	SP	BM
■	■	■	■
■	■	■	■
■	■	■	■

**Technology Infos**

Construction Laminates Wood Core Base

Premium Concept Multi Axial Composite Supreme Wood ISR Graphite Plus





## Technology Infos

Construction  
Laminates  
Wood Core  
Base

Premium Concept  
Multi Axial  
Premium Wood  
SR 1800



## Range Positioning

FS UN SP BM



## Descent Infos

Level of Ride



Intermediate to Advanced



## Details

## Models Specifications

Model	152	157	162	167
Nose Length	210	215	220	225
Contact Length	1140	1180	1220	1260
Tail Length	180	185	190	195
Radius	9300	8600	8800	9000
Nose Width	292	299	301	302
Waist	242	248	243	258
Tail Width	292	299	301	302
Setback	25	30	30	30
Rider's Weight	50-65	60-70	65-85	75+*

[www.hungreboarder.com](http://www.hungreboarder.com)

Berli Denervaud



Top

Base

**E** Advanced technology for all-mountain riding in any snow condition.

**D** Des Brett mit fortschrittlicher Technologie, mit dem ihr Euch unter allen Bedingungen wohl und sicher fühlt.

**F** La board qui vous permettra d'être toujours à l'aise dans toutes les conditions grâce à sa technologie avancée.

BOARD UN *Style Mountain* BLADE

BOARD UN

PICTO

**E** A best-seller for the past two seasons. Great quality to price ratio. All mountain riding.

**D** Biele Grössenauswahl, polyvalent und einfach, das sind die Vorzüge des Bretts. Hinzu kommt ein beispielloses Qualitäts-Preis-Verhältnis. Ein Verkaufsschlager.

**F** Un grand choix de tailles, polyvalence et facile, voilà les qualités de cette planche au rapport qualité prix incomparable. Un Best-Seller.



Picto 153  
Picto 157

Top



Base



Picto 148 163

Top



Base



Picto 143 167

Top



Base

### Models Specifications

Model	143	148	153	158	163	168
Nose Length	205	205	210	210	215	215
Contact Length	1060	1100	1140	1180	1220	1260
Tail Length	175	175	180	180	185	195
Radius	6900	7200	7500	7800	8100	7700
Nose Width	284	287	292	301	305	307
Weist	242	245	247	255	258	254
Tail Width	284	287	292	301	305	307
Selback	20	25	30	30	30	30
Rider's Weight	40-55	45-60	50-65	60-75	65-85	80-+

### General Infos



Level of Ride



Intermediale to Advanced

Technology Infos

### Range Positioning

FS UN SP BM



### Technology Infos

Construction  
Laminates  
Wood Core  
Base

Classic Plus  
Multi Axial  
Premium Wood  
SR 1800



### Details

- Full Length Wood Core
- Team Finish
- Insert 40X40 mm

Range Positioning

General Infos

## Technology Infos

Construction  
Laminates  
Wood Core  
Base

Classic Plus  
Multi Axial  
Premium Wood  
SR 1800



## Range Positioning

FS UN SP BM



## General Infos

Level of Ride



Intermediate to Advanced



## Details



## Models Specifications

Model	147	152	156
Nose Length	210	210	210
Contact Length	1100	1140	1180
Tail Length	180	180	180
Radius	6800	7200	7200
Nose Width	283	288	293
Waist	237	242	243
Tail Width	283	288	293
Setback	30	30	30
Rider's Weight	40-60	50-65	55-70

[www.hungryboarder.com](http://www.hungryboarder.com)

Top



Base

**E** All mountain riding, the baby sister of the pico with a flex pattern and waist width adapted for women.

**D** Für diejenigen, die die Freuden der Bergwelt auf die sachte Aß genießen möchten. Das Geheimnis des Erfolgs liegt in Shape und Flex.

**F** Pour celles qui veulent profiter en douceur des joies de la montagne. Son shape et son flex sont les secrets de sa réussite.



## Technology Infos

Construction  
Laminates  
Wood Core  
Base



## Flexion Positioning

FS UN SP BM



## Gewicht Infos

Level of Ride



Beginner to Intermediate



- Factory Finish
- Insert 40X40 mm

## Details

## Models Specifications

Model	124	133	139	143	148	152
Nose Length	190	196	205	210	215	220
Contact Length	945	1010	1020	1060	1100	1140
Tail Length	170	175	175	180	185	190
Radius	6750	5950	7200	7300	7400	7500
Nose Width	250	270	278	283	288	294
Waist	240	240	240	243	246	249
Tail Width	250	270	278	283	288	294
Selback	25	25	25	30	30	30
Rider's Weight	30-40	35-45	40-50	40-55	45-60	55-75



Top



Base

**E** Aboard for girls who want to ride well not feel good.

**D** Die Axis-Ausgabe für Damen, und ganz auf ihre Wünsche eingestellt.

**F** La version féminine de l'Axis, mais adaptée à leurs désirs.



**E** To help you discover snowboarding, Accessible and progressive.

**D** Ein Brett, mit dem ihr die Gliss-Freuden erst richtig kennen lernen sollt; ein Brett, das auch Anfängern ein sicheres Gefühl beim Snowboarden gibt.

**F** Une board développée pour vous faire goûter au plaisir de la glisse, pour apprendre à rider en toute confiance.



Top




Base

### Models Specifications

Model	140	145	150	155	160	165xl
Nose Length	205	210	215	220	225	225
Contact Length	1020	1060	1100	1140	1180	1220
Tail Length	175	180	185	190	195	195
Radius	7200	7300	7400	7500	7600	7700
Nose Width	277	283	288	294	302	314
Weist	240	243	246	249	254	263
Tail Width	277	283	288	294	302	314
Selback	30	30	30	30	30	30
Rider's Weight	40-55	45-60	50-65	55-75	65-80	75-+

[www.hungryboarder.com](http://www.hungryboarder.com)



### Details

### General Infos



### Level of Ride



Beginner to Intermediate

### Range Positioning

FS UN SP BM



### Technology Infos

Construction  
Laminates  
Wood Core  
Base

Classic  
Dual Axial  
Polywood  
ER 900



- Factory Finish
- Insert 40X40 mm

### Technology Infos

Construction Classic

### Range Positioning

FS UN SP BM

### General Infos

Level of Ride

## Technology Infos

Construction  
Laminates  
Wood Core  
Base

Classic  
Dual Axial  
Polywood  
ER 900



## Positioning

FS UN SP BM



## Ride Infos

Level of Ride



Beginner to Rookie



## Details



## Models Specifications

Model	98	110	124	133
Nose Length	180	185	190	196
Contact Length	650	750	945	1010
Tail Length	160	165	170	175
Radius	4500	6000	6750	6950
Nose Width	219	232	250	270
Waist	210	222	240	240
Tail Width	219	232	250	270
Setback	25	25	25	25
Rider's Weight	20-30	25-35	30-40	35-45



Top



Base

**E** Nidecker's technology for tomorrow's champions. A flex pattern designed for lightweight riders.

**D** Das Brett ist für angehende Meister bestimmt, und deshalb ist es ganz einfach eine Replik der Erwachsenenbretter, doch entsprechend auf die Morphologie angepasst.

**F** Parce que cette planche est dédiée aux futurs champions, elle est tout simplement la réplique des planches adultes adoptée à leur morphologie.

**E** Fast freeriding. The Ultimate carving board to ride with soft bindings and boots.

**D** Das Brett ist wie dafür geschaffen, den anderen immer voraus zu sein. Super schnell, total aggressiv, das typische Brett für BoarderX Xtremboarding.

**F** Cette planche est née pour être toujours devant les autres. Super rapide, très agressive, c'est la planche de Boardercross/ Extrême par excellence.

### Models Specifications

Model	159	164	168
Nose Length	210	210	215
Contact Length	1220	1260	1300
Tail Length	175	175	180
Radius	8200	8800	9100
Nose Width	293	299	305
Waist	244	250	255
Tail Width	293	299	301
Selback	20	20	20
Rider's Weight	50-70	65-85	75+*



Top



Base



### General Infos



Level of Ride



Advanced to Expert

### Range Positioning

FS UN SP BM



### Technology Infos

Construction  
Laminates  
Wood Core  
Base

N Concept  
Multi Axial Composite  
Supreme Wood  
ISR Graphite Plus



### Details

- Power decks
- Free-flex
- Tip and Tail Carbon Stringers
- Kevlar®
- Stone Grind Team Finish
- Insert 40X20 mm
- Edge Armor

### Technology Infos

Construction N Concept/Sandwich

### Range Positioning

FS UN SP BM

### General Infos

Level of Ride

## Technology Infos

Construction  
Laminates  
Wood Core  
Base



N Concept/Sandwich  
Multi Axial Composite  
Supreme Wood  
ISR Graphite Plus

## Range Positioning

FS UN SP BM



## General Infos

Level of Ride



Advanced to Expert



## Details

## Models Specifications

Model	159	167
Nose Length	210	215
Contact Length	1260	1320
Tail Length	130	135
Radius	7800	8600
Nose Width	252	263
Waist	195	207
Tail Width	247	258
Setback	35	35
Rider's Weight	50-65	65-85



## Models Specifications

Model	153sl	158sl	162sl	164gs	170gs	177gs	183gs
Nose Length	160	160	160	150	150	150	140
Contact Length	1340	1380	1430	1460	1510	1590	1660
Tail Length	40	40	40	40	40	40	40
Radius	7900	8600	8900	10400	11200	13500	15000
Nose Width	246	254	265	243	243	243	238
Waist	191	196	203	188	188	195	188
Tail Width	240	249	260	238	237	243	232
Setback	25	25	25	25	25	25	25
Rider's Weight	50-65	55-75	70-90	55-70	60-85	65-90	70-+



Top



Base



Top



Base



Top



Base

**E** Nidecker's heritage. Quite possibly the best carving boards on the market. For experienced riders only.

**D** Für die mit hard Boole, die ganz einfach ihren Spass haben möchten, oder auch diejenigen, die das Siegerpodium im Auge haben.

**F** Pour ceux qui ont choisi les hard boots et qui veulent se faire plaisir ou taster les podiums.

BOARD SP *Style* *Maneuver* **PROTO/CUSTOM**



**E** Freesiding at its best ... Born in the Swiss Alps.

**D** Eine Serie, die für Liebhaber der Steilhänge wie geschaffen ist.

**F** Une série dédiée aux amoureux des grandes pentes.



Top



Base

### Models Specifications

Model	159	164	168	174
Nose Length	235	240	240	250
Contact Length	1160	1200	1240	1300
Tail Length	195	200	200	200
Radius	6900	7400	7400	7600
Nose Width	296	304	313	314
Waist	243	251	256	254
Tail Width	293	301	308	311
Setback	35	35	35	35
Rider's Weight	50-65	60-75	65-85	70+



Les Diablerets

### Details

- Free-flex
- Tip and Tail Carbon Stringers
- Kevlar®
- Stone Grind Team Finish
- Insert 40X20 mm
- Edge Armor

### General Infos



Level of Ride



Advanced to Expert

### Range Positioning

FS UN SP BM



### Technology Infos

Construction  
Laminates  
Wood Core  
Base

Premium Concept  
Multi Axial Composite  
Supreme Wood  
ISR Graphite Plus





## Technology Infos

Construction  
Laminates  
Wood Core  
Base



N Concept/Sandwich  
Multi Axial Composite  
Supreme Wood  
ISR Graphite Plus

## Rings Positioning

FS UN SP BM



## General Infos

Level of Ride



Advanced to Expert



- Free-flex
- Tip and Tail Carbon Stringers
- Kevlar®
- Stone Grind Team Finish
- Insert 40X20 mm
- Edge Armor

## Details

## Models Specifications

Model	159	167
Nose Length	210	215
Contact Length	1260	1320
Tail Length	130	135
Radius	7800	8600
Nose Width	252	263
Waist	195	207
Tail Width	247	258
Setback	35	35
Rider's Weight	50-65	65-85



## Models Specifications

Model	153sl	158sl	162sl	164gs	170gs	177gs	183gs
Nose Length	160	160	160	150	150	150	140
Contact Length	1340	1380	1430	1460	1510	1590	1660
Tail Length	40	40	40	40	40	40	40
Radius	7900	8600	8900	10400	11200	13500	15000
Nose Width	246	254	265	243	243	243	238
Waist	191	196	203	188	188	195	188
Tail Width	240	249	260	238	237	243	232
Setback	25	25	25	25	25	25	25
Rider's Weight	50-65	55-75	70-90	55-70	60-85	65-90	70-+



Top



Base



Top



Base



Top



Base

**E** Nidecker's heritage. Quite possibly the best carving boards on the market. For experienced riders only.

**D** Für die mit hard Boots, die ganz einfach ihren Spass haben möchten, oder auch diejenigen, die das Siegerpodium im Auge haben.

**F** Pour ceux qui ont choisi les hard boots et qui veulent se faire plaisir ou bruler les podiums.

BOARD SP *Single Method* PROTO/CUSTOM



**BOARD BM** 100% Carbon **LEGEND**

**E** Freesiding at its best ... Born in the Swiss Alps.

**D** Eine Seile, die für Liebhaber der Steilhänge wie geschaffen ist.

**F** Une seile dédiée aux amoureux des grandes pentes.




Top



Base

**Models Specifications**

Model	159	164	168	174
Nose Length	235	240	240	250
Contact Length	1160	1200	1240	1300
Tail Length	195	200	200	200
Radius	6900	7400	7400	7600
Nose Width	296	304	313	314
Waist	243	251	256	254
Tail Width	293	301	308	311
Setback	35	35	35	35
Rider's Weight	50-65	60-75	65-85	70-+



Les Diablerets

**General Infos**



Level of Ride



Advanced to Expert

**Range Positioning**

FS UN SP BM



**Technology Infos**

Construction  
Laminates  
Wood Core  
Base

Premium Concept  
Multi Axial Composite  
Supreme Wood  
ISR Graphite Plus



**Details**

- Free-flex
- Tip and Tail Carbon Stringers
- Kevlar®
- Stone Grind Team Finish
- Insert 40X20 mm
- Edge Armor

## PICTO RENTAL



Top



Base

## General Infos



## Technology Infos

Construction Classic Plus  
Laminates Multi Axial  
Wood Core Premium  
Base SR 1800



## AXIS RENTAL



Top



Base

## General Infos



## Technology Infos

Construction Classic  
Laminates Dual Axial  
Wood Core Classic  
Base ER 900



## RENTAL DISC



## General Infos



made for

FF760



FL660



S.460



## RADIUS RENTAL



Color Option

V.1


## Technology Infos

- |             |  |
|-------------|--|
| Outer Layer | - Preformed 3D strengthener<br>- Ankle Lacing System |
| Outer sole  | - 2 Density layers<br>- Shock Absorber               |
| Tongue      | - Interactive 3D                                     |
| Liner       | - Eve 9mm  |

US 5 - 13 MONDO 235-305

RENTAL

# BOARD-04 SPECS



FS

Freestyle

UN FR

## BOARD-04

Length    Stance    Nose LG    Contact LG    Tail LG    Waist Width    Waist    Tail Width    Inserts    Medium Stance Mini/Maxi    Setback    Rider KG

PROJECT FS	157	8100	200	1180	200	291	246	291	20	540	+40/-40 micro	30	60-75
	159	8200	205	1200	205	294	248	294	20	560	+40/-40 micro	30	65-80
	162	8300	220	1220	210	298	251	298	20	580	+40/-40 micro	30	70-85
ICON	163xl	8300	220	1220	210	310	263	310	20	560	+40/-40 micro	30	75+
	154	7450	210	1140	195	291	246	291	20	540	+40/-40 micro	30	55-70
	157	7500	210	1180	195	296	248	296	20	550	+40/-40 micro	30	60-75
PRINCESS	159	7550	210	1200	195	300	251	300	20	560	+40/-40 micro	30	65-80
	163	7600	215	1220	195	304	253	304	20	570	+40/-40 micro	30	70+
	152	7200	205	1140	185	284	237	284	20	460	+40/-40 micro	30	45-60
SMOKE	156	7400	205	1180	185	288	239	288	20	480	+40/-40 micro	30	55-70
	154	7450	210	1140	195	291	246	291	20	540	+40/-40 micro	30	60-75
	158	7500	210	1180	195	296	248	296	20	550	+40/-40 micro	30	65-75
CORE	158xl	7600	215	1180	195	308	261	308	20	570	+40/-40 micro	30	70-85
	162	7600	215	1220	195	304	253	304	20	570	+40/-40 micro	30	70-85
	162xl	7650	215	1220	195	314	264	314	20	590	+40/-40 micro	30	70-85
MISSION	165xl	7700	215	1260	195	320	267	320	20	610	+40/-40 micro	30	75+
	166	7650	215	1260	195	309	255	309	20	580	+40/-40 micro	30	75+
	148	7200	205	1100	205	288	244	288	16	500	+80/-80	30	45-60
MATRIX	154	7400	210	1140	210	293	247	293	16	520	+80/-80	30	55-70
	159	7500	210	1180	210	300	251	300	16	540	+80/-80	30	60-75
	159xl	7800	210	1180	210	310	263	310	16	540	+80/-80	30	60-75
CORE	164	7700	210	1220	210	305	254	305	16	560	+80/-80	30	70+
	164xl	8500	215	1220	215	311	265	311	16	560	+80/-80	30	75+
	148	6800	210	1100	180	282	237	282	16	460	+80/-80	30	50-65
MISSION	152	7200	210	1140	180	288	242	288	16	480	+80/-80	30	55-70
	156	7400	215	1180	185	297	249	297	16	510	+80/-80	30	60-75
	158xl	7400	215	1180	185	314	266	314	16	510	+80/-80	30	60-75
MATRIX	160	7700	215	1220	185	305	256	305	16	530	+80/-80	30	65-80
	163xl	7700	215	1220	185	315	266	315	16	530	+80/-80	30	70-85
	165	7700	215	1260	195	307	254	307	16	550	+80/-80	30	75+
MATRIX	165xl	7900	215	1260	195	317	265	317	16	550	+80/-80	30	75+
	124	6750	170	960	120	250	215	248	8	400	+40/-40	20	30-40
	133	6950	175	1015	130	270	232	268	8	420	+40/-40	20	35-45
MATRIX	141	6580	185	1040	155	274	234	274	16	440	+80/-80	30	45-55
	146	6700	185	1100	155	281	237	281	16	460	+80/-80	30	50-60
	151	7500	195	1150	165	286	242	286	16	480	+80/-80	30	55-65
MATRIX	156	7620	195	1180	165	290	245	290	16	510	+80/-80	30	60-70
	158xl	8225	195	1210	165	307	265	307	16	530	+80/-80	30	65-80
	161	8725	195	1210	165	292	250	297	16	540	+80/-80	30	70-90
MATRIX	163xl	9200	195	1270	165	310	267	310	16	540	+80/-80	30	70+
	159	6600	260	1160	180	311	247	289	20	490	+40/-40 micro	20	50-60
	164	6900	260	1200	180	316	251	294	20	520	+40/-40 micro	30	60-75
PLATINUM	168	7100	260	1240	180	320	253	297	20	530	+40/-40 micro	30	65-85
	174	7300	260	1300	180	327	255	303	20	540	+40/-40 micro	30	75+
	153	8300	210	1140	180	292	242	292	20	500	+40/-40 micro	20	50-65
BLADE	158	8600	215	1180	185	299	248	299	20	520	+40/-40 micro	25	60-70
	163	8800	220	1220	190	301	253	301	20	540	+40/-40 micro	30	65-85
	168	9000	225	1260	195	302	258	302	20	540	+40/-40 micro	30	75+
BLADE	152	8300	210	1140	180	292	242	292	20	500	+40/-40 micro	20	50-65
	157	8600	215	1180	185	299	248	299	20	520	+40/-40 micro	25	60-70
	162	8800	220	1220	190	301	253	301	20	540	+40/-40 micro	30	65-85
BLADE	167	9000	225	1260	195	302	258	302	20	540	+40/-40 micro	30	75+
	143	6900	205	1060	175	284	242	284	16	450	+80/-80	20	40-55
	148	7200	205	1100	175	288	246	288	16	480	+80/-80	20	50-65

Universal/Freeride

168	590	225	1260	195	302	258	302	20	540	+40/-40 micro	30	75+
152	8300	210	1140	180	292	242	292	20	500	+40/-40 micro	20	50-65
157	8600	215	1180	185	299	248	299	20	520	+40/-40 micro	25	60-70
162	8800	220	1220	190	301	253	301	20	540	+40/-40 micro	30	65-85
187	9000	225	1260	195	302	258	302	20	540	+40/-40 micro	30	75+
143	6900	205	1060	175	284	242	284	16	450	+80/-80	20	40-55
148	7200	205	1100	175	286	245	286	16	470	+80/-80	25	45-60
153	7500	210	1140	180	292	247	292	16	490	+80/-80	30	50-65
158	7800	210	1180	180	301	255	301	16	510	+80/-80	30	60-75
163	8100	215	1220	185	305	258	305	16	530	+80/-80	30	65-85
168	7700	215	1260	195	307	254	307	16	550	+80/-80	30	80+
147	6800	210	1100	180	282	237	282	16	460	+80/-80	30	45-60
152	7200	210	1140	180	288	242	288	16	480	+80/-80	30	50-65
156	7300	210	1180	180	294	244	294	16	480	+80/-80	30	55-70
139	6580	185	1040	155	274	234	274	16	480	+80/-80	30	45-55
144	6700	185	1100	155	281	237	281	16	500	+80/-80	30	50-60
149	7500	195	1150	165	286	242	286	16	510	+80/-80	30	55-65
154	7620	195	1180	165	290	245	290	16	510	+80/-80	30	60-70
158XL	8225	195	1210	165	307	250	307	16	520	+80/-80	30	65-80
159	8725	195	1210	165	292	265	292	16	520	+40/-40	30	70-90
163XL	9600	195	1270	165	310	267	310	16	520	+40/-40	30	70+
164	9200	195	1270	165	295	253	295	16	520	+80/-80	30	70+
124	6750	170	960	120	250	215	248	8	420	+80/-80	20	30-40
133	6950	175	1015	130	270	232	268	8	440	+80/-80	20	35-45
139	7200	205	1020	175	278	240	278	16	460	+80/-80	30	40-50
143	7300	210	1060	180	283	243	283	16	460	+80/-80	30	45-55
148	7400	215	1100	185	288	245	288	16	480	+80/-80	30	45-60
152	7500	195	1150	165	286	242	286	16	480	+80/-80	30	55-65
140	7200	205	1020	175	277	240	277	16	440	+80/-80	30	40-55
145	7300	210	1060	180	283	243	283	16	460	+80/-80	30	45-60
150	7400	215	1100	185	288	246	288	16	480	+80/-80	30	50-65
155	7500	220	1140	190	294	249	294	16	510	+80/-80	30	55-70
160	7600	225	1180	195	302	254	302	16	530	+80/-80	30	65-80
165XL	7700	225	1220	195	314	263	314	16	540	+80/-80	30	75+
98	4500	180	650	160	219	195	219	8	320	+40/-40	25	20-30
110	6000	185	750	165	232	210	232	8	360	+40/-40	25	25-35
124	6750	190	945	170	250	235	250	8	420	+80/-80	25	30-40
133	6950	195	1010	175	270	240	270	8	430	+80/-80	25	35-45
159	6900	235	1160	195	296	243	293	20	480	+40/-40 micro	35	55-65
164	7400	240	1200	200	304	251	301	20	510	+40/-40 micro	35	60-75
168	7400	240	1240	200	312	256	308	20	530	+40/-40 micro	35	65+
174	7600	250	1300	200	314	254	311	20	540	+40/-40 micro	35	70+
159	8200	210	1220	175	293	244	289	20	490	+40/-40 micro	20	55-70
164	8800	210	1260	175	299	250	294	20	520	+40/-40 micro	20	65-85
168	9100	215	1300	180	305	255	301	20	550	+40/-40 micro	20	75+
159	7800	210	1260	130	252	195	247	16	460	+20/-20 micro	35	50-65
167	8600	215	1320	135	263	207	258	16	480	+20/-20 micro	35	65-85
153	7900	160	1340	40	246	191	240	20	450	+40/-40 micro	25	50-65
158	8600	160	1380	40	254	196	249	20	460	+40/-40 micro	25	55-75
162	8900	160	1430	40	265	203	260	20	490	+40/-40 micro	25	70-90
164	10400	150	1460	40	243	188	238	20	470	+40/-40 micro	25	55-70
170	11200	150	1510	40	243	188	237	20	470	+40/-40 micro	25	60-85
177	13500	150	1590	40	243	195	243	20	470	+40/-40 micro	25	65-90
183	15000	140	1660	40	238	188	232	20	480	+40/-40 micro	25	70+


BM

SP

Speed

BOARD-04

Length    Waist    Nose LG    Contact LG    Tail LG    (Nose Width)    Waist    Tail Width    Inserts    Medium Stance    Mini/Maxi    Selback    Rider KG



BOARD-04 SPECS



**E** A completely new collection based on a proven successful design. Offering a solution for every rider.

**D** Ein kohärentes, modulierbares Sortiment auf erprobter Architekturbauweise.

**F** Une gamme cohérente et modulable bâtie sur une architecture éprouvée.

MODEL	BASE	HEEL CUP	HIGH BACK	STRAP	BUCKLE	
<b>CARBON 900</b> 	- 45% GF Reinforced 	- 45% GF Reinforced 	- Twisted-Asym L/M - Straight S/M - Carbon 	- Woven Power Strap 	- Aluminium - Asymmetrical - 5 Teeth 	SSSS EEEE
<b>PRO 800</b> 	- 45% GF Reinforced 	- 45% GF Reinforced 	- EVA Pad - Reinforced Nylon 	- Woven Power Strap 	- Aluminium - Asymmetrical 	
<b>FL 760</b> 	- 30% GF Reinforced optional 	- 30% GF Reinforced 	- EVA Pad - Reinforced Nylon 	- Woven Power Strap 	- Aluminium - Asymmetrical 	SSS EEE
<b>FF 760</b> 	- 30% GF Reinforced optional 	- 30% GF Reinforced 	- EVA Pad - Reinforced Nylon 	- Woven Power Strap 	- Aluminium - Asymmetrical 	
<b>FR 660</b> 	- 30% GF Reinforced - Toe Ramp 	- 30% GF Reinforced 	- EVA Pad - Polyamide 	- Injected 3D Strap - EVA Comfort 	- Polyamide - Asymmetrical 	SS EE
<b>S. 460</b> 	- 30% GF Reinforced - Toe Ramp 	- 30% GF Reinforced 	- Polyamide 	- Injected 3D Strap - EVA Comfort 	- Polyamide - Symmetrical 	S
<b>S. 360</b> 	- 15% GF Reinforced - Toe Ramp 	- 15% GF Reinforced 	- Polyamide 	- EVA Comfort 	- Polyamide - Asymmetrical 	E



**NIDECKER EXCLUSIVES**

**INTRODUCING THE NEW CARBON 900 CONCENTRATE OF THE NIDECKER EXCLUSIVES**



**ANATOMICAL BASE**

Specially designed and padded to contour / protect foot architecture, developed with Orthopedists and Specialists.



**LATERAL DAMPENING SYSTEM**

This adaptable interface brings absorption and protection through lateral controlled motions while increasing "edge to edge" reactivity.



**POWER PEDAL**

With angle setting for better synergy with the boot, and dual materials to filter vibrations.



**HEEL HAVEN SYSTEM**

Exclusive design to tightly lock heel in position while allowing body movements adaptation.



**3D WOVEN POWER STRAP**

With quick "no-tool" setting to insure ultimate energy transfer, comfort and support.



**ENERGY CONTROL PLUG**

This absorbing material interface connecting Highback and Heel Cup provides more progressivity and comfort during ride, evacuate energy excess during shocks and landings.



**RE-FLEX CARBON HIGHBACK**

Enhanced composite part made of a specially designed carbon shell inserted in an EVA multi layers padding for optimal flex response.

Available in two sizes/shapes :


- S/M Straight
- L/M Twisted

**A** "Over the top" padding to protect upper edge and contour entirely composite shell.

**B** CAD designed "Prepeg" molded Carbon shell provides optimal flex adaptation and response.

**C** EVA foam multi layers padding to provide comfort and protection and allow 3D motions of the shell.

**D** Special Heel Haven System design.



**ADJUSTABLE HEEL CUP WITH ENERGY CONTROL PLUG**



**E** A synergy between team riders, specialists and developers allows us to bring you the ultimate in binding performance.

**D** Unsere Exklusivitäten, die aus unserer Präsenz vor Ort und unserem kontinuierlichen Kontakt mit den Reitern hervorgegangen sind, setzen neue

**F** issues de notre forte présence terrain et de nos exclusivités permanents avec les riders, nos exclusivités définissent un nouveau standard de confort et de précision.

**E** This evolution of the Carbon 860 focuses on support, precision and comfort using new composite materials.

**D** Diese Weiterentwicklung von Carbon 860 optimiert Stützungsübertragung und Komfort dank einer einmaligen Kombination von Verbundstoffen.

**F** Cette évolution de la Carbon 860 optimise la transmission des appuis et le confort grâce à sa combinaison unique de matériaux composites.



STRAP REACTIVE 900



ENERGY CONTROL PLUG



CARBON TWISTED-ASYM



CARBON STRAIGHT

**HUNGRY BOARDER**  
www.hungryboarder.com



Thomas Brunner

■ Color Option

V.1

■ General Infos



Unisex



Small/Medium



Medium/Large



Anatomical Base



LDS Sys.



Power Pedal



Energy Control Plug



RE-Flex Carbon Highback



Heel Haven Sys.



3D Woven Strap

■ Nidecker Exclusives

■ Technology Infos

Base	45% GF Reinforced
Heel Cup	45% GF Reinforced
High Back	Carbon Twisted-Asym L/M
	Carbon Straight S/M
Strap Buckle	Reactive 900
	Aluminium
	5 Teeth

■ General Infos

■ Nidecker Exclusives

■ Technology Infos

**Concept** Infos



Unisex



Small/Medium



Medium/Large

Anatomical  
Base

LDS Sys.



Power Pedal


Energy Control  
PlugHeel Haven  
Sys.

3D Woven Strap

**Options** Exclusives

**Technology** Infos

Base	45% GF Reinforced
Heel Cup	45% GF Reinforced
High Back	Reinforced Nylon
	EVA Pad
Strap	Reactive 800
Buckle	Aluminium



Tommy Czeschin



STRAP REACTIVE 800



ALUMINIUM BUCKLES



REINFORCED HIGH BACK

HUNGRY  
BOARDER

www.hungryboarder.com



**Color Option**



**E** The freestyle version of the new carbon 900. Precision and Freedom of motion.

**I** Kontrollierte Schwingweiten der Bewegungen. Ein Standard für den Rider von heute.

**F** Amplitudes contrôlées des mouvements. Un standard pour le ride d'aujourd'hui.

**BINDING**

**PRO 800**



**E** Versatile and performance-driven. Available in both men's and women's models.

**D** Polyvalent, leicht und leistungsstark, sowohl für Herren wie für Damen.


**F** Polyvalence, légère et performance déclinées au masculin et au féminin

**FL760**

**General Infos**

**Technology Infos**


- Base 30% GF Reinforced
- Heel Cup 30% GF Reinforced
- High Back Reinforced Nylon
- Strap Luxury 760FL
- Boucle Aluminium



**Color Options**



**Midstock Exclusives**



**FF760**

**General Infos**

**Technology Infos**

- Base 30% GF Reinforced
- Heel Cup 30% GF Reinforced
- High Back Reinforced Nylon
- Strap Luxury 760
- Boucle Aluminium



**Color Options**



**Midstock Exclusives**





## FR 660

### General Infos



### Nidecker Exclusives



Anatomical Base

Optional LDS


Toe Ramp

## 5.460

### General Infos



### Nidecker Exclusives




Anatomical Base

Toe Ramp

## 5.360 JUNIOR

### General Infos



### Color Options

V.1

V.2

V.3

V.4

### Technology Infos

Base 30% GF Reinforced  
 Heel Cup 30% GF Reinforced  
 High Back Polyamide  
 Strap Injected 3D Strap  
 Boucle PA Asymmetrical



### Color Options

V.1

V.2

V.3

V.4

### Technology Infos

Base 30% GF Reinforced  
 Heel Cup 30% GF Reinforced  
 High Back Polyamide  
 Strap Injected 3D Strap  
 Boucle PA Asymmetrical



### Color Option

V.1

### Technology Infos

Base 15% GF Reinforced  
 Heel Cup 15% GF Reinforced  
 High Back Polyamide  
 Strap Eva Comfort  
 Boucle PA Asymmetrical



**D** Versatility and reliability in a standardized model.

**D** Unsere polyvalente, solide Technologie im Dienste möglichst vieler Menschen.

**E** Polyvalence et solidité, notre technologie au service du plus grand nombre.

**BINDING**

FR660 5.460 5.360

**E** New complete collection designed to interact with our soft binding line. Ultimate comfort, support and precision.

**F** Ein geschlossenes Sortiment, in perfekter Synergie mit unseren Bindungen konstruiert, ist der letztendliche Übergang zwischen dir und deinem Brett, ladeloses Komfort.

**F** Cette gamme cohérente, bâtie en parfaite synergie avec nos fixations, sera le prolongement ultime entre vous et votre board pour un confort sans compromis.

MODEL	OUT LAYER	TONGUE	OUTER SOLE	LINER	INSOLE	
<b>PROJECT X</b>  SIZE US 5-13 MONDO 235-305	<ul style="list-style-type: none"> <li>Molded 3D strengthener</li> <li>Swift Metal Hooks</li> <li>Stopper Hooks</li> <li>Ankle Lacing System</li> <li>HF Welded Lateral Supports</li> </ul>	<ul style="list-style-type: none"> <li>3D Customizable Tongue</li> </ul>	<ul style="list-style-type: none"> <li>Double last Technology</li> <li>3 Density layers</li> <li>Central Stabilizer</li> <li>Shock Absorber</li> </ul>	<ul style="list-style-type: none"> <li>Hand stitched</li> <li>4 Straps</li> <li>L pads</li> <li>Heel patch</li> </ul>	<ul style="list-style-type: none"> <li>Composite Bi-Density</li> </ul>	SSS EEE
<b>VERSUS</b>  SIZE US 5-13 MONDO 235-305	<ul style="list-style-type: none"> <li>Molded 3D strengthener</li> <li>Swift Metal Hooks</li> <li>Stopper Hooks</li> <li>Ankle Lacing System</li> </ul>	<ul style="list-style-type: none"> <li>3D Customizable Tongue</li> </ul>	<ul style="list-style-type: none"> <li>3 Density layers</li> <li>Central Stabilizer</li> <li>Shock Absorber</li> </ul>	<ul style="list-style-type: none"> <li>Hand stitched</li> <li>4 Straps</li> <li>L pads</li> <li>Heel patch</li> </ul>	<ul style="list-style-type: none"> <li>Composite Bi-Density</li> </ul>	
<b>FAME</b>  SIZE US 5-9 MONDO 235-270	<ul style="list-style-type: none"> <li>Molded 3D strengthener</li> <li>Calf Compression Window</li> <li>Swift Metal Hooks</li> <li>Stopper Hooks</li> <li>Ankle Lacing System</li> </ul>	<ul style="list-style-type: none"> <li>Interactive 3D</li> </ul>	<ul style="list-style-type: none"> <li>3 Density layers</li> <li>Central Stabilizer</li> <li>Shock Absorber</li> </ul>	<ul style="list-style-type: none"> <li>Hand stitched</li> <li>3 Straps</li> <li>Special Women L pads</li> <li>Heel patch</li> </ul>	<ul style="list-style-type: none"> <li>Prefomed Comfort</li> </ul>	SSS EEE
<b>FOCUS</b>  SIZE US 5-13 MONDO 235-305	<ul style="list-style-type: none"> <li>Molded 3D strengthener</li> <li>Swift Metal Hooks</li> <li>Stopper Hooks</li> <li>Ankle Lacing System</li> </ul>	<ul style="list-style-type: none"> <li>Interactive 3D</li> </ul>	<ul style="list-style-type: none"> <li>3 Density layers</li> <li>Central Stabilizer</li> <li>Shock Absorber</li> </ul>	<ul style="list-style-type: none"> <li>Hand stitched</li> <li>3 Straps</li> <li>L pads</li> <li>Heel patch</li> </ul>	<ul style="list-style-type: none"> <li>Prefomed Comfort</li> </ul>	
<b>RADIUS</b>  SIZE US 5-13 MONDO 235-305	<ul style="list-style-type: none"> <li>Prefomed 3D strengthener</li> <li>Ankle Lacing System</li> </ul>	<ul style="list-style-type: none"> <li>Interactive 3D</li> </ul>	<ul style="list-style-type: none"> <li>2 Density layers</li> <li>Shock Absorber</li> </ul>	<ul style="list-style-type: none"> <li>Hand stitched</li> <li>3 Straps</li> <li>L pads</li> </ul>	<ul style="list-style-type: none"> <li>Standard Comfort</li> </ul>	SS EE
<b>CONTACT</b>  SIZE US 5-13 MONDO 235-305	<ul style="list-style-type: none"> <li>Prefomed 3D strengthener</li> <li>Ankle Lacing System</li> </ul>	<ul style="list-style-type: none"> <li>Interactive 3D</li> </ul>	<ul style="list-style-type: none"> <li>2 Density layers</li> </ul>	<ul style="list-style-type: none"> <li>Hand stitched</li> <li>L pads</li> </ul>	<ul style="list-style-type: none"> <li>Standard Comfort</li> </ul>	S E
<b>CONTACT JR</b>  SIZE US 1-5 MONDO 200-235	<ul style="list-style-type: none"> <li>Prefomed 3D strengthener</li> <li>Ankle Lacing System</li> </ul>	<ul style="list-style-type: none"> <li>Interactive 3D</li> </ul>	<ul style="list-style-type: none"> <li>2 Density layers</li> </ul>	<ul style="list-style-type: none"> <li>Lineless</li> <li>L pads</li> </ul>	<ul style="list-style-type: none"> <li>Standard Comfort</li> </ul>	

**OUTER LAYER EXCLUSIVES**

- 01. 3D INTERACTIVE TONGUE WITH CUSTOMIZABLE UPPER FLEX**  
Provides progressive support with removable PE shell reinforcement and light-shap connection
- 02. SWIFT METAL HOOK**  
For easy and strong lacing
- 03. STOPPER HOOK**  
Dual lacing to allow tight heel adjustment and independent upper lacing tension
- 04. ANKLE LACING SYSTEM**  
Allow optimal frontside flex while keeping heel area tightly locked
- 05. WIDER VOLUME TOE AREA**  
Help keep your toes warm and comfortable



- 06. REAR HANDLING LOOP**  
Easy to grab'n carry
- 07. CALF COMPRESSION WINDOW**  
Allow progressive and comfortable backside
- 08. 3D HIGH ABRASION BACKSTAY**  
Durability and control of the upper "backbone"
- 09. HIGH FREQUENCY WELDED LATERAL SUPPORTS**  
Provides stiffer lateral flex
- 10. HIGH ABRASION LOW VOLUME HEEL COUNTER**  
For tight binding connection

**EXCLUSIVE UPPER WITH DOUBLE LAST TECHNOLOGY**

Lower pressure, greater fit and increased comfort with direct contact on the EVA integrated insole

**LINER EXCLUSIVES**

- 01. LACE LOCKER POCKET**
- 02. PROTECTIVE HIGH CUSHION TONGUE**
- 03. QUICK LACING SYSTEM**  
Small diameter lace with easy locker
- 04. STRETCHABLE TOE AREA**  
For optimal comfort and tight adjustment
- 05. EASY REMOVING REAR HANDLING LOOP**
- 06. L PAD ANKLE PROTECTIVE FRAME**  
Special foam padding pattern to keep in position and protect ankle
- 07. WIDE VELCRO HEEL PATCH**  
Tight and precise heel connection to the upper

**4 STRAPS MULTI DENSITIES HAND STITCHED LINER****OUTER SOLE EXCLUSIVES**

- 01. CENTRAL STABILIZER**  
Faster toe to heel response and arch support
- 02. SHOCK ABSORBER**  
To preserve knees and backbone from bad vibes

**EXCLUSIVE HIGH GRIP AND DAMPENING OUTSOLE**

**E** Pushing the limits of testing, development and input from specialist bring this new collection up to Nidecker standards.

**D** Um eine einheitliche Ausüstung zu erzielen, haben wir das Beste eingebaut, was Technologie überhaupt hervorbringen kann.

**F** Afin d'avoir une parfaite homogénéité dans l'équipement, nous avons intégré tout ce que la technologie fait de mieux.

**E** The Mega-light of our boot line. Encompassing every feature and component, delivering uncompromising performance and control in any situation.

**D** Ein Stiefel, der dir festen Halt, Komfort und ein unvergleichliches Wohlfühlgefühl gibt, dank der einmaligen Zusammensetzung.

**F** Une boot qui vous apportera maintien, confort et feeling incomparables grâce à sa technologie d'assemblage unique.



HF WELDED SUPPORTS



CUSTOMIZABLE TONGUE



HEEL COUNTER

HUNGRY  
BOARDER

www.hungryboarder.com

Color Option

V.1



Remy Mercier

## PROJECT X-04

FLEX N-3  
ADVANCED

### Technology Infos

- Outer Layer**
- Molded 3D strengthener
  - Swift Metal Hooks
  - Stopper Hooks
  - Ankle Lacing System
  - HF Welded Lateral Supports

**Tongue** - 3D Customizable Tongue

- Liner**
- Hand stitched
  - 4 Straps
  - L pads
  - Heel patch

- Outer sole**
- Double last Technology
  - 3 Density layers
  - Central Stabilizer
  - Shock Absorber

**Insole** - Composite BI-Density



Liner



Sole

VERSUS-04

US 5-13 MONDO 235-305



- Shock Absorber

## VERSUS-04

**FLEX N-3  
ADVANCED**

Front



Lateral

### Technology Infos

- Outer Layer**
- Molded 3D strengthener
  - Swift Metal Hooks
  - Slipper Hooks
  - Ankle Lacing System

**Tongue** - 3D Customizable Tongue

- Liner**
- Hand stitched
  - 4 Straps
  - L pads
  - Heel patch

- Outer sole**
- 3 Density layers
  - Central Stabilizer
  - Shock Absorber

**Insole** - Composite Bi-Density

## US 5-13 MONDO 235-305

**Liner**



**Sole**



Berti Denervaud



ALS



CUSTOMIZABLE TONGUE



3D BACKSTAY



**Color Option**

V.I

**E** Freestyle version of the Project X. Slightly softer lateral flex.

**D** Wie für Pro 800. Das Modell ist inzwischen für den Snowboarder von heute zu einem Standard geworden.

**F** Comme pour la fixation Pro 800. Ce modèle est devenu un standard du ride d'aujourd'hui.

**BOOTS**

**VERSUS**

Model



E Fließend designed, offering flex and movement for performance in freestyle, while offering enough support for landing.

D Polyviene, Komfort und Qualität, auf männliche wie auf weibliche Morphologie angepasst.

F Polyviene, confort et qualité adaptés aux morphologies masculines et féminines.

## FAME-04

## FLEX N-2

MEDIUM



## Technology Infos

- Outer Layer**
- Moulded 3D strengthener
  - Coll Compression Window
  - Swift Metal Hooks
  - Stopper Hooks
  - Ankle Lacing System

## Tongue

- Interactive 3D

## Liner

- Hand stitched
- 3 Straps
- Women L pads
- Heel patch

## Outer sole

- 3 Density layers
- Central Stabilizer
- Shock Absorber

## Insole

- Preformed Comfort



Liner



Sole



V.2

## Color Options



## FOCUS-04

## FLEX N-2

MEDIUM



## Technology Infos

- Outer Layer**
- Moulded 3D strengthener
  - Swift Metal Hooks
  - Stopper Hooks
  - Ankle Lacing System

## Tongue

- Interactive 3D

## Liner

- Hand stitched
- 3 Straps
- L pads
- Heel patch

## Outer sole

- 3 Density layers
- Central Stabilizer
- Shock Absorber

## Insole

- Preformed Comfort



Liner



Sole



V.2

## Color Options



## US 5 -9 MONDO 235-270

## US 5 -13 MONDO 235-305

## RADIUS-04

**FLEX N-I  
ACCESS PLUS**



### Technology Infos

**Outer Layer** - Preformed 3D strengthener  
- Ankle Lacing System

**Tongue** - Interactive 3D

**Liner** - Hand stitched  
- 3 Straps  
- L pads

**Outer sole** - 2 Density layers  
- Shock Absorber

**Insole** - Standard Comfort




**Liner**

**Sole**



**V.2**

**Color Options**



## US 5 - 13 MONDO 235-305

## CONTACT-04

**FLEX N-I  
ACCESS**



### Technology Infos

**Outer Layer** - Preformed 3D strengthener  
- Ankle Lacing System

**Tongue** - Interactive 3D

**Liner** - Hand stitched  
- L pads

**Outer sole** - 2 Density layers

**Insole** - Standard Comfort



**Liner**

**Sole**



**V.2**

**Color Options**



## CONTACT JUNIOR-04

**FLEX N-I  
ACCESS**



### Technology Infos

**Outer Layer** - Preformed 3D strengthener  
- Ankle Lacing System

**Tongue** - Interactive 3D

**Liner** - Linerless  
- L pads

**Outer sole** - 2 Density layers


**Insole** - Standard Comfort

**Sole**



**V.2**

**Color Options**



## US 1-5 MONDO 200-235

**E** Dependable design offering warmth and support for the price conscious consumer.

**D** Unsere Technologie, auf die größtmögliche Anzahl von Benutzern abgestimmt, macht diese vollendeten Modelle zu Verkaufsschlägern.

**F** Notre technologie au service du plus grand nombre fera de ces modèles aboutis des Best-sellers.

**BOOTS**

Ministry

**RADIUS/CONTACT-IR**

**E** Complete collection of bags for every rider...hiking the backcountry for fresh tracks, catching a flight to the next world cup or road trippin' through the Rockies

**D** Eine gut durchdachte Reisegepäckkollektion für den Bedarf erfahrener Snowboarder wie Ihr, in den Bergen wie auch im alltäglichen Leben.

**F** Une collection de bagages réfléchi, pour tous vos besoins de snowboarder averti, à la montagne comme dans la vie.

## BOARD-04



## RIDER HAULER

## Details

- Side pockets
- Fully padded with high Density
- B.O.W System
- Waterproof PVC 1600 D



## MOUNTAIN

## Details

- Fully padded with high Density
- Waterproof PVC 1600 D



## ACCESS SACK

## Details

- Lightweight sack

## MOTION-04



## RIDER TRAVEL BAG

## Details

- Capacity 78 liters
- Size 70x40x28 cm
- B.O.W System
- Waterproof 1600 D



## LAP TOP BACK PACK

## Details

- Capacity 30 liters
- Size 33x19x44 cm
- Waterproof 1600 D
- Special padded pocket for Lap Top
- Pockets for accessories



## SCHOOL BACK PACK

## Details

- Side pocket
- Waterproof PVC 1600 D

## ACTION-04



## BACKCOUNTRY BACK PACK

## Details

- Extra Capacity 20 or 30 liters
- Size 35x12x70 cm
- Waterproof 1600 D
- Pockets for snow shovel and transceiver
- Mesh lining on back panel
- Internal 3D ergonomical Carbon structure
- Two different positions to carry your board



## FREERIDE BACK PACK

## Details

- Capacity 19 liters
- Size 35x12x51 cm
- Waterproof 1600 D
- Pockets for snow shovel and transceiver
- Mesh lining on back panel
- Adjustable & articulated





### MATRIX


Colors



Short / Sweat

### ICON

Colors



Zip Hooded

### ANGEL

Colors



Short

for Girls

### PROJECT FS

Colors



Short

### Sweat/Tees/Caps/Hats Base



Short Bicolor



Short



Long



Sweat



Hooded



Zip Hooded



Cap



Hat

### CORPORATE

Colors



Short / Sweat / Hooded / Cap / Hat

### BABE

Colors



Short Bicolor

### SILVER

Colors



NIDECKER

Long / Cap / Hat

### SMOKE

Colors



Short / Hooded

SOFT GOODS / CASUAL



## PUFFY-04

Ripstop 5000 mm/5000gm/m /24hrs Breathable, Quilted jacket




## Details

Inside Money pocket  
waist elastic cord with locker  
Pockets zippers  
Side vent opening  
Pre shaped knees  
Inside snow cuff

	XS	S	M	L	XL	Total
Yellow						
Blue						
Green						
Orange						
Total						

## AMY-04

Ripstop 5000 mm/5000gm/m/24hrs Breathable, Lined pant




## Details

Full length inside chin guard  
covers top of zipper  
Vent opening  
Inside Mesh pocket for Goggles  
Side pocket

	XS	S	M	L	XL	Total
White						
Black						
White						
Yellow						
Total						

## PROJECT-04

Ripstop 5000 mm/5000gm/m /24hrs Breathable, Lined jacket Jeans denim 600 mm



## Details

Zip-off hood  
Back side open pleats  
pocket for pass window  
Mesh pannel  
Zip-off pannel  
Zip-off side pannel

JEANS

	XS	S	M	L	XL	XXL	Total
Orange							
Black							
Grey							
Blue							
Yellow							
Total							



## ROBBY-04

Ripstop 5000mm/5000gm/m/24hrs Breathable, Lined pant



### Details

- Inside Money pocket
- O ring
- Side pocket
- Pre-shaped knees
- Side vent
- Side opening
- Inside snow cuff

	XS	S	M	L	XL	XXL	Total
Color 1							
Color 2							
Color 3							
Total							

## CYTILLUS-04

Ripstop 5000 mm/5000gm/m/24hrs Breathable,Padded jacket



### Details

- Chin guard
- Zip-off hood
- Pocket for pass window
- Vent opening
- Inside Cellular phone pocket
- Inside Mesh pocket for Goggles
- Side opening

	XS	S	M	L	XL	XXL	Total
Color 1							
Color 2							
Color 3							
Color 4							
Color 5							
Total							

## BUMP-04

Ripstop 5000 mm/5000gm/m /24hrs Breathable, Lined pant



### Details

- Inside Money pocket
- O ring
- Pocket zipper
- Back pocket
- Pre-shaped knees
- Side ventilation, full length
- Inside storm cuff

	XS	S	M	L	XL	XXL	Total
Color 1							
Color 2							
Color 3							
Color 4							
Total							

**PRINCESS-04**



Nylon 250D 1000 mm, Quilted jacket

**Details**

- Full Length inside chin guard covers top of zipper
- Zip-off hood
- Vent opening
- Inside Mesh pocket for Goggles
- Pockets

	XS	S	M	L	XL	Total
Green						
Red						
White						
Light Green						
Light Blue						
Yellow						
<b>Total</b>						

**CRYSTAL-04**



Nylon 250D 1000 mm, Lined pant

**Details**

- Inside Money pocket
- Side pocket
- Pre-shaped knees
- Side opening
- Storm cuff

	XS	S	M	L	XL	Total
Light Green						
Black						
Yellow						
White						
Light Blue						
<b>Total</b>						

**WEATHER-04**



Nylon 250D 1000mm, Padded jacket

**Details**

- Inside Chin guard
- Zip-off hood
- Pockets
- Chest pocket
- Ventilation
- Inside Mesh pocket for Goggles

	S	M	L	XL	XXL	Total
Black						
Dark Blue						
Grey						
Brown						
Dark Brown						
Green						
Orange						
<b>Total</b>						

**FOX-04**



Jeans Denim

Nylon 250D 1000 mm, Lined pant/Jeans Denim 1000 mm

**Details**

- Inside Money pocket
- O Ring
- Pre-shaped knee
- Inside knee cuff

	XS	S	M	L	XL	XXL	Total
Green							
Dark Blue							
Grey							
Dark Blue							
White							
Brown							
Dark Blue Denim							
<b>Total</b>							

## STORM-04



Cal eyes 8000 mm/8000gm/m<sup>2</sup>/24hrs Breathable

### Details

- Chinguard
- Zip-off hood
- Inside mesh pocket
- Vent opening
- Yoke in black stretch
- Preshaped elbow
- Sitch for pocketing and stom cuff
- Inside stom cuff
- Waterproff Front zipper 2 way sliders
- Exposed Waterproof zipper



## FUSION-04



Cal eyes 8000 mm/8000gm/m<sup>2</sup>/24hrs Breathable

### Details

- Inside Money pocket
- Jeans pocket
- Back pocket
- O Ring
- Pocket zipper
- Sole ventilation full length
- Pre-shaped knee
- Inside snow cuff




## SKY-04



Bonded fleece / mesh

### Details

- Inside pocket
- Exposed Waterproof zipper
- Inside mesh pocket



SOFT GOODS / FREERIDE

# THE RANGE

# BOARDS

## FS

### Freestyle

Project FS



SSSS  
EEEE

Icon



Princess



Smoke



Smoke XL



Core



SSS  
EEE

Mission



Matrix



S  
E

## UN/FR

### Universal Freeride

Megalight



Platinum



Blade



Angel



Picto



Axis



Elle



Chill



Gram



**SP**

Speed

Project TM



Proto



Custom SL



Custom GS

**BM**

Big Mountain

Legend

**BAGS**

Rider Hauler



Mountain



Access Sack



Rider Travel



Lap Top



School



Backcountry



Freeride

**BINDINGS**

Carbon 900



FL 760



FR 660



S.460



**HUNGRY  
BOARDER**
[www.hungryboarder.com](http://www.hungryboarder.com)



## BOOTS

Pro 800



FF 760



FR 660



S.460



S.360



Project X



Versus



Fame



Focus



Radius



Contact



Contact JR



## AUSTRALIA

INTAK SPORTS  
26 Grosvenor Lane  
Isabella Plains  
2905 Act  
Phone: ++61(0)2 6292 4268  
Fax: ++61(0)2 6253 2773  
Email: australia@nidecker.ch

## AUSTRIA

SAIL & SURF GMBH  
Bundesstrasse 466  
4822 Bad Gleern  
Phone: ++43 (061) 35 20 633  
Fax: ++43 (061) 35 20 634  
E-mail: austria@nidecker.ch

## ARGENTINA

LAHUNA S.R.L.  
1m. Piso Of. 126  
1007 Buenos Aires  
Phone: ++54 11 4634-0540  
Fax: ++54 11 4634-0540  
E-Mail: argentina@nidecker.ch

## BENELUX

EUROLIGHT ROVECO BV  
Jan Van Goyenkstraat 14  
3115 JG Schiedam  
Phone: ++31 10 4091111  
Fax: ++31 10 4091122  
E-mail: holland@nidecker.ch

## BULGARIA

NOVA-96 Ltd  
128 Maria Luisa Blvd,  
Apt 29  
4000 Plovdiv  
Fax: ++359 32 443333

## CZECH REPUBLIC

SNOWBOARDS s.r.o.  
Nam. Míru 3  
320 00 Pízen  
Phone/Fax: ++42(0) 19 79 45 135

## CHILE

AGUAVENTURA EXPEDICIONES LTDA  
Calle Pajuelo 336  
Region 10  
Araucanía  
Phone: ++56 45 44 42 46  
E-mail: chile@nidecker.ch

## FINLAND

MTB KESKUS  
Lauttasaarentie 54  
00200 Helsinki  
Phone: ++358 9 682 32712  
Fax: ++358 9 682 32711

## FRANCE

SPORTPULSION SA  
P.A.E. de la Caille  
74350 Allonzier la Caille  
Phone: ++33 (04) 50 46 50 50  
Fax: ++33 (04) 50 46 50 51  
E-mail: france@nidecker.ch

## GERMANY

FINNAU Sports & Internet GmbH  
Kölner Str. 42  
53840 Troisdorf  
Germany  
Tel.: 0049-(0)2241-973488  
Fax: 0049-(0)2241-973494

## ICELAND

UTILIF  
Gleisibæ  
Hallfimar 74  
104 Reykjavik  
Phone: ++354-545-1500  
Fax: ++354-545-1515  
E-mail: iceland@nidecker.ch

## IRAN

PAMCHAL-SPORT  
Jamaledin Assadabadi av.  
Meydan Farhang  
N.1 Pass. Farhang  
14366 Teheran  
TEL: ++98 21 8002663  
FAX: ++98 21 8063092

## ISRAEL

SNOW-ROOM LTD  
Hahofer St.34  
Industrial zone  
Holon  
PHONE: 00-972-4-6222055  
FAX: 00-972-4-6222086

## ITALY

MANIFATTURA VALCISMON S.P.A.  
Via G. Marconi 81/83  
32030 Fontanafredda (BL)  
Phone: ++39(0)430/3711  
Fax: ++39(0)430/56436  
E-mail: italy@nidecker.ch

## KOREA

DONGBANG LEPORTS Co Ltd  
221 Sangil-Dong  
Kangdong-Ku  
Seoul  
Phone: ++82 (02) 426-6090  
Fax: ++82 (02) 429-9379

## LATVIA

RB PROJEKTS  
Maršala iir. 6-1,  
1050 Rīga  
info@boards.lv  
Phone: ++371 955 50 12  
Fax: ++371 727 00 29

## NORWAY

DEGREE SPORTS AS  
Dronningensgate 15  
4610 Kristiansand  
Phone: ++47 380 71 331  
Fax: ++47 380 52 711  
E-mail: norway@nidecker.ch

## POLAND

FIRMA MANDŁOWA BELUGA  
Laszczki 2A  
05-090 Raszyn  
Phone: ++48 (022) 824 31 73  
Fax: ++48 (022) 720 25 59  
E-mail: poland@nidecker.ch

## ROMANIA

SC X-SPORT SRL  
Calea Dorobantilor 4  
1900 Timisoara  
Tel: 00 40 256 141 975  
Fax: 00 40 256 141 975

## JAPAN

WISHBONE SPORT  
E 1-2 5 6  
Sapporo 060-0056

## RUSSIA

ONIEGA SPORTS Ltd  
Vilnoimolny  
Prospect 26  
Moscow  
Phone: ++7 095 270 90 25  
Fax: ++7 095 232 20 94

## SLOVAKIA

PRO - TO  
Krizna 17/C  
81107 Bratislava  
Phone: ++421 (0) 2 55 96 95 88  
Fax: ++421 (0) 2 55 96 96 63  
E-mail: slovakia@nidecker.ch

## SLOVENIA + CROATIA

OBSESSION D.O.O.  
Poljanska 6  
1000 Ljubljana  
Phone: ++386 1 439 17 80  
Fax: ++386 1 433 93 95  
E-mail: slovenia@nidecker.ch

## SPAIN

JOIRANI S.L.  
Roger del Flor  
100 Injor  
08013 Barcelona  
Phone: ++34 93 231 21 89  
Fax: ++34 93 246 30 78  
E-mail: spain@nidecker.ch

## SWITZERLAND - Headquarters

Nidecker Snowboard Factory  
2 Place de l'Industrie  
1180 Rolle  
Phone: ++41 (021) 822 33 33  
Fax: ++41 (021) 822 33 30  
E-mail: info@nidecker.ch

## UK

KULT DISTRIBUTION Ltd  
Swanwood Farm  
Nash St  
Gunhill  
TN21 0JS  
Phone: ++44 01273 897307  
Fax: ++44 01825 873404  
E-mail: england@nidecker.ch

## UKRAINE

EXTREM Ltd  
53 Glubochitskaya  
254050 Kiev  
Phone: ++38044 416 6014  
Fax: ++38 044 417 0566

## USA

NIDECKER USA  
1495 polinsettia avenue #150  
Vista, CA 92083  
Phone: ++1 760 597 0561  
Fax: ++1 760 597 0562  
E-mail: usa@nidecker.ch

## JAPAN

XYZ CO LTD  
3F 17 TAKEYA-CHO TAKANO  
SAKYOKU, KYOTO 606-8104  
Phone: ++81-75-702-6211  
Fax: ++81-75-702-6217

 HUNGRY  
BOARDER  
[www.hungryboarder.com](http://www.hungryboarder.com)

Special Thanks

 GLACIER  
3000

 NIDECKER  
ADVANCED • SNOWBOARDING TECHNOLOGY

The information and the content of this document does not constitute a formal legal commitment. Nidecker reserves all rights not to sell all products in certain countries or to bring any modification that Nidecker would judge useful or necessary. All rights reserved. Even partial reproduction forbidden.

Les informations contenues dans ce catalogue ne sont pas contractuelles. Nidecker SA se réserve le droit de ne pas vendre tous les produits dans certains pays ou d'apporter toute modification qu'elle jugera utile ou nécessaire. Reproduction même partielle interdite.